=> FIL REG FILE 'REGISTRY' ENTERED AT 16:02:48 ON 18 JUN 2010 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2010 American Chemical Society (ACS) => D HIS NOFILE FILE 'HCAPLUS' ENTERED AT 13:22:46 ON 18 JUN 2010 E US2006-567430/APPS 1 SEA SPE=ON ABB=ON PLU=ON US2006-567430/AP L1E WO2004-CA1461/APPS 1 SEA SPE=ON ABB=ON PLU=ON (WO2004-CA1461/AP OR WO2004-CA1 L2461/PRN) 1 SEA SPE=ON ABB=ON PLU=ON (L1 OR L2) L3 SEL L3 RN FILE 'REGISTRY' ENTERED AT 13:23:26 ON 18 JUN 2010 5 SEA SPE=ON ABB=ON PLU=ON (183892-60-6/BI OR 333305-83-2/ L4FILE 'HCAPLUS' ENTERED AT 13:24:56 ON 18 JUN 2010 SEL L3 AU L5 13 SEA SPE=ON ABB=ON PLU=ON "COTE, SIMON"/AU E MATRIX INNOVATION/CO 2 SEA SPE=ON ABB=ON PLU=ON "MATRIX INNOVATION INC"+ALL/CO, 1.6 CS, PA FILE 'LREGISTRY' ENTERED AT 14:32:18 ON 18 JUN 2010 L7STR FILE 'REGISTRY' ENTERED AT 14:37:46 ON 18 JUN 2010 L8 0 SEA SSS SAM L7 FILE 'LREGISTRY' ENTERED AT 14:38:20 ON 18 JUN 2010 L9 STR L7 FILE 'REGISTRY' ENTERED AT 14:41:08 ON 18 JUN 2010 0 SEA SSS SAM L9 L10 FILE 'LREGISTRY' ENTERED AT 14:42:06 ON 18 JUN 2010 L11 STR L9 FILE 'REGISTRY' ENTERED AT 14:43:26 ON 18 JUN 2010 L12 1 SEA SSS SAM L11 L13 207337 SEA SPE=ON ABB=ON PLU=ON C2H4O OR C3H6O OR C4H8O 7 SEA SUB=L13 SSS SAM L11 L14 FILE 'LREGISTRY' ENTERED AT 14:50:15 ON 18 JUN 2010 L15 STR L7 FILE 'REGISTRY' ENTERED AT 14:51:29 ON 18 JUN 2010 0 SEA SSS SAM L15 L16 0 SEA SUB=L13 SSS SAM L15 L17 FILE 'LREGISTRY' ENTERED AT 14:53:11 ON 18 JUN 2010 L18 STR L19 STR L18 FILE 'REGISTRY' ENTERED AT 15:00:34 ON 18 JUN 2010 L20 0 SEA SSS SAM L19

```
FILE 'LREGISTRY' ENTERED AT 15:01:34 ON 18 JUN 2010
L21
              STR L19
    FILE 'REGISTRY' ENTERED AT 15:12:09 ON 18 JUN 2010
      4 SEA SSS SAM L21
L22
L23
           50 SEA SUB=L13 SSS SAM L21
L24
             STR L21
L25
            24 SEA SUB=L13 SSS SAM L24
    FILE 'LREGISTRY' ENTERED AT 15:23:13 ON 18 JUN 2010
L26
              STR L24
    FILE 'REGISTRY' ENTERED AT 15:25:25 ON 18 JUN 2010
L27
     0 SEA SUB=L13 SSS SAM L26
          621 SEA SUB=L13 SSS FUL L24
              SAV L28 KAH430/A
            0 SEA SUB=L28 SSS SAM L26
L29
L30
            0 SEA SUB=L28 SSS FUL L26
L31
            4 SEA SPE=ON ABB=ON PLU=ON L28 AND L4
   FILE 'HCAPLUS' ENTERED AT 15:32:22 ON 18 JUN 2010
         344 SEA SPE=ON ABB=ON PLU=ON L28
      598582 SEA SPE=ON ABB=ON PLU=ON CROSSLINK? OR CROSS (2A) LINK?
               OR CURE OR CURED OR CURING? OR CURABL?
            36 SEA SPE=ON ABB=ON PLU=ON L32 AND L33
L34
L35 751862 SEA SPE=ON ABB=ON PLU=ON POLYOXYALKYLENE? OR POLYETHER?
               OR ?GLYCOL?
        59765 SEA SPE=ON ABB=ON PLU=ON L35 (L) L33
L36
L37
            25 SEA SPE=ON ABB=ON PLU=ON L34 AND L36
               TRA PLU=ON L37 1- RN HIT:
L38
                                            40 TERMS
    FILE 'REGISTRY' ENTERED AT 15:44:03 ON 18 JUN 2010
L39
           40 SEA SPE=ON ABB=ON PLU=ON L38
    FILE 'LREGISTRY' ENTERED AT 15:50:25 ON 18 JUN 2010
L40
             STR L26
    FILE 'REGISTRY' ENTERED AT 15:52:00 ON 18 JUN 2010
L41
            8 SEA SUB=L28 SSS SAM L40
           104 SEA SUB=L28 SSS FUL L40
L42
    FILE 'HCAPLUS' ENTERED AT 15:54:14 ON 18 JUN 2010
           27 SEA SPE=ON ABB=ON PLU=ON L42
            6 SEA SPE=ON ABB=ON PLU=ON L43 AND L33
L44
           18 SEA SPE=ON ABB=ON PLU=ON L43 AND L35
L45
            4 SEA SPE=ON ABB=ON PLU=ON L45 AND L33
L46
L47
           18 SEA SPE=ON ABB=ON PLU=ON L46 OR L45
L48
            1 SEA SPE=ON ABB=ON PLU=ON L47 AND (L5 OR L6)
L49
           17 SEA SPE=ON ABB=ON PLU=ON L47 NOT L48
L50
           15 SEA SPE=ON ABB=ON PLU=ON 1808-2006/PY, PRY, AY AND L49
```

FILE 'REGISTRY' ENTERED AT 16:02:48 ON 18 JUN 2010

L13 207337 SEA FILE=REGISTRY SPE=ON ABB=ON PLU=ON C2H4O OR C3H6O

OR C4H8O

L24 STR

NODE ATTRIBUTES:

CONNECT IS E3 RC AT 3 CONNECT IS E2 RC AT 7 CONNECT IS E2 RC AT 7 DEFAULT MLEVEL IS ATOM GGCAT IS SAT AT 4 GGCAT IS SAT AT 7


DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 6

STEREO ATTRIBUTES: NONE L26 STR



REP G1=(0-20) 16

NODE ATTRIBUTES:

NSPEC IS RC AT 16
CONNECT IS E3 RC AT 3
CONNECT IS E2 RC AT 4
CONNECT IS E2 RC AT 7
DEFAULT MLEVEL IS ATOM
GGCAT IS SAT AT 4
GGCAT IS SAT AT 7

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 9

STEREO ATTRIBUTES: NONE

L28 621 SEA FILE=REGISTRY SUB=L13 SSS FUL L24
L30 0 SEA FILE=REGISTRY SUB=L28 SSS FUL L26

100.0% PROCESSED 469 ITERATIONS

SEARCH TIME: 00.00.01

0 ANSWERS

L13 207337 SEA FILE=REGISTRY SPE=ON ABB=ON PLU=ON C2H4O OR C3H6O

OR C4H8O

L24 STR

NODE ATTRIBUTES:


CONNECT IS E3 RC AT 3
CONNECT IS E2 RC AT 4
CONNECT IS E2 RC AT 7
DEFAULT MLEVEL IS ATOM
GGCAT IS SAT AT 4
GGCAT IS SAT AT 7
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 6

STEREO ATTRIBUTES: NONE

L28 621 SEA FILE=REGISTRY SUB=L13 SSS FUL L24 L40 STR



NODE ATTRIBUTES:

CONNECT IS E3 RC AT 3
CONNECT IS E2 RC AT 4
CONNECT IS E2 RC AT 7
DEFAULT MLEVEL IS ATOM
GGCAT IS SAT AT 4
GGCAT IS SAT AT 7
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE

L42 104 SEA FILE=REGISTRY SUB=L28 SSS FUL L40

100.0% PROCESSED 291 ITERATIONS 104 ANSWERS

SEARCH TIME: 00.00.01

=> FIL HCAP

FILE 'HCAPLUS' ENTERED AT 16:03:19 ON 18 JUN 2010

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

=> D L48 1 IBIB ABS HITSTR HITIND RETABLE

L48 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2005:120909 HCAPLUS Full-text

DOCUMENT NUMBER: 142:198979

TITLE: New polyether based monomers,

crosslinkers, and highly

crosslinked amphiphile polyether

resins

INVENTOR(S): Cote, Simon

PATENT ASSIGNEE(S): Matrix Innovation Inc., Can.

SOURCE: PCT Int. Appl., 75 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PA:	PATENT NO.			KIND DATE		APPLICATION NO.				DATE						
WO	2005	0122	77		A1	_	2005	0210	,	——— WO 2	2004-	 CA14	61		2	0040804
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	ВG,	BR,	BW,	BY,	BΖ,	CA,
		CH,	CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,
		GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,
		KR,	KΖ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,
		MX,	MZ,	NA,	NΙ,	NO,	NΖ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,
		SE,	SG,	SK,	SL,	SY,	ТJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,
		VC,	VN,	YU,	ZA,	ZM,	ZW									
	RW:	BW,	GH,	GM,	ΚE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,
		AM,	AZ,	BY,	KG,	KΖ,	MD,	RU,	ΤJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,
		DE,	DK,	EE,	ES,	FΙ,	FR,	GB,	GR,	ΗU,	ΙE,	ΙT,	LU,	MC,	NL,	PL,
		PT,	RO,	SE,	SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,
		GW,	ML,	MR,	NE,	SN,	TD,	ΤG								
CA	2534	616			A1		2005	0210	1	CA 2	2004-	2534	616		2	0040804
EP	1687	343			A1		2006	0809		EP 2	2004-	7616	25		2	0040804
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙΤ,	LI,	LU,	NL,	SE,	MC,
		PT,	ΙE,	SI,	FI,	RO,	CY,	TR,	BG,	CZ,	EE,	HU,	PL,	SK		
CN	1856	483			Α		2006	1101	1	CN 2	2004-	8002	7888		2	0040804
JP	2007	5012	96		Τ		2007	0125	1	JP 2	2006-	5221	90		2	0040804
US	2006	0241	245		A1		2006	1026		US 2	2006-	5674	30		2	0060425
PRIORIT:	Y APP	LN.	INFO	.:						US 2	2003-	4919	69P	:	P 2	0030804
									,	WO 2	2004-	CA14	61	1	W 2	0040804

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

The crosslinked polyether is obtained by polymerization of ≥ 1 monomer selected from the group consisting of (a) (α -X-methyl) vinyl-electron withdrawing group (EWG), (α -X-methyl) vinyl-electron releasing group (ERG), or (α -X-methyl) vinyl-aryl, where X = O, S, polyethylene glycol (PEG), polypropylene glycol (PPG) or poly(THF), (b) a monomer polymerizable with a PEG, PPG or poly(THF) crosslinker having ≥ 1 (α -X-methyl) vinyl-EWG, (α -X-methyl) vinyl-ERG or (α -X-methyl) vinyl-aryl, where X = O, S, PEG, PPG, or poly(THF), (c) a PEG, PPG, or

poly(THF) crosslinker having at least an acrylamide or a methacrylamide end group, and (d) mixts.

IT 183892-60-6P

(highly crosslinked terminally functional polyethylene glycols)

RN 183892-60-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(ethoxycarbonyl)-2-propenyl]- ω -hydroxy- (9CI) (CA INDEX NAME)

$$\texttt{EtO} = \begin{pmatrix} \texttt{C} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D$$

IT 333305-83-2P

(preparation and radical crosslinking, end group reduction or hydrolysis, bromination)

RN 333305-83-2 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -(3-ethoxy-2-methylene-3-oxopropyl)- ω -(3-ethoxy-2-methylene-3-oxopropoxy)- (9CI) (CA INDEX NAME)

$$\texttt{EtO-C-CH}_2 - \texttt{CH}_2 - \texttt{CH}_2$$

- IC ICM C07D0305-14
 - ICS C08G0065-02; C08F0261-06; C08F0283-00; C08F0002-18; C08J0003-24; C08F0016-12
- CC 37-3 (Plastics Manufacture and Processing)

Section cross-reference(s): 34

- ST polyethylene glycol vinyl group terminated
- IT Polyoxyalkylenes, preparation

(highly crosslinked terminally functional polyethylene glycols)

IT Polymer-supported reagents

Solid phase synthesis

(highly crosslinked terminally functional polyethylene glycols for)

IT 183892-60-6P 838839-63-7P 838839-64-8P

(highly crosslinked terminally functional polyethylene glycols)

IT 333305-83-2P

(preparation and radical crosslinking, end group reduction or hydrolysis, bromination)

IT 68858-20-8

(reaction with Wang type resin based on functional polyethylene glycols; highly crosslinked terminally functional polyethylene glycols)

RETABLE

Referenced Author (RAU)	Year VOL (RPY) (RVL)	(RPG)	Referenced Work (RWK)	Referenced File
Cote, S Hayashi, K	-+====+==== 2002 1994	=+===== 	-+====================================	=+====== HCAPLUS HCAPLUS

Kempe	1999	1	US	5910554		HCAPLUS
Satake, Y	2001		EP	1288272 A		HCAPLUS
Snyder, J	1995		EP	633912		HCAPLUS
Soderman, T	2003		WO	2003102040 A		
Sunkara, H	2004		WO	2004014984		HCAPLUS
Trofimov, B	1999		WO	9964484 A		HCAPLUS
OS.CITING REF COUNT:	13	THERE ARE 1	.3 CZ	APLUS RECORDS	THAT	CITE THIS
		RECORD (16	CIT	INGS)		

=> D L50 1-15 IBIB ABS HITSTR HITIND RETABLE

L50 ANSWER 1 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2008:582915 HCAPLUS Full-text

DOCUMENT NUMBER: 148:540382

TITLE: Amino-and polyoxyalkylene-containing

acrylic acid-based emulsifiers for vinyl

polymerization and vinyl polymers manufactured

using them

INVENTOR(S):
Katsukawa, Yoshitaka

PATENT ASSIGNEE(S): Sanyo Chemical Industries, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 11pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
JP 2008111031	A	20080515	JP 2006-294543	20061030	
			<		
PRIORITY APPLN. INFO.:			JP 2006-294543	20061030	
			<		

OTHER SOURCE(S): MARPAT 148:540382

The invention relates to the emulsifiers CH2:C(CO2R2NR3R4)CH2O(AO)nR1 (I; R1 = C1-24 hydrocarbon; R2 = C1-8 alkylene; R3, R4 = C1-4 alkyl; A = C2-4 alkylene; n = 1-200). Tertiary amine salt-type emulsifiers prepared from I and acids, and quaternary ammonium salt-type emulsifiers prepared from I and quaternizing agents are also claimed. Thus, Me acrylate was reacted with formaldehyde, PBr3, ethoxylated dodecyl alc., and dimethylaminoethanol to give I (R1 = dodecyl, R2 = CH2CH2, R3 = R4 = Me, A = CH2, n = 8). Bu acrylate, methacrylic acid, and Me methacrylate was emulsion-polymerized in the presence of I and neutralized with NH3 to give an emulsion with monomer conversion 98% and good antifoaming properties, which was then applied on a substrate and dried to give a test piece with good water resistance.

IT 1025111-51-6DP, salts with acids

(amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

RN 1025111-51-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-[[2-

(dimethylamino)ethoxy]carbonyl]-2-propen-1-yl]- ω -(dodecyloxy)-(CA INDEX NAME)

IT 1025111-49-2P

(amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

RN 1025111-49-2 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -dodecyl- ω -[[2- (methoxycarbonyl)-2-propen-1-yl]oxy]- (CA INDEX NAME)

IT 1025111-54-9P

(emulsifier; amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

RN 1025111-54-9 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -dodecyl- ω -[[2-[[2-(trimethylammonio)ethoxy]carbonyl]-2-propen-1-yl]oxy]-, methyl sulfate (1:1) (CA INDEX NAME)

CM 1

CRN 1025111-53-8

CMF (C2 H4 O)n C21 H42 N O3

CCI PMS

$$Me 3+N-CH_2-CH_2-O-CH_2-O-CH_2-O-CH_2-CH_2-O-CH_$$

CM 2

CRN 21228-90-0 CMF C H3 O4 S

Me-0-S03-

CC 46-4 (Surface Active Agents and Detergents)

Section cross-reference(s): 37

ST amino polyoxyalkylene acrylate emulsifier vinyl polymn; acrylate based emulsifier water resistant coating; emulsifier emulsion polymn antifoaming vinyl polymer

IT Emulsifying agents

(amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

IT Polymerization

(emulsion; amino-and polyoxyalkylene-containing acrylic

acid-based emulsifiers used in vinyl polymerization for water-resistant
coatings)

IT 42884-82-2P, Butyl acrylate-methacrylic acid-methyl methacrylate copolymer ammonium salt

(amino-and polyoxyalkylene-containing acrylic acid-based

emulsifiers used in vinyl polymerization for water-resistant coatings)

IT 1025111-51-6DP, salts with acids

(amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

IT 4224-69-5P, Methyl α -(bromomethyl)acrylate 15484-46-5P, Methyl

 α -(hydroxymethyl)acrylate 1025111-49-2P

 $(\verb|amino-and||polyoxyalkylene-containing|| acrylic || acid-based|$

emulsifiers used in vinyl polymerization for water-resistant coatings)

IT 50-00-0, Formaldehyde, reactions 77-78-1, Dimethylsulfate 96-33-3, Methyl acrylate 108-01-0, Dimethylaminoethanol 9002-92-0, Ethoxylated dodecyl alcohol

(amino-and polyoxyalkylene-containing acrylic acid-based

emulsifiers used in vinyl polymerization for water-resistant coatings)

IT 7789-60-8, Phosphorous tribromide

(amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

IT 1025111-54-9P

(emulsifier; amino-and polyoxyalkylene-containing acrylic acid-based emulsifiers used in vinyl polymerization for water-resistant coatings)

L50 ANSWER 2 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2007:640655 HCAPLUS Full-text

DOCUMENT NUMBER: 147:74721

TITLE: Alkali metal-free surfactants containing

carboxybetaines and amines, and cleaners

containing them

INVENTOR(S):
Sakurai, Kenichi

PATENT ASSIGNEE(S): Sanyo Chemical Industries, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 27pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2007146025	А	20070614	JP 2005-343436	20051129
			<	

PRIORITY APPLN. INFO.: JP 2005-315694 A 20051031

OTHER SOURCE(S): MARPAT 147:74721

The surfactants contain R1(OA)nOCH2CH(CO2-)CH2N+R23 (R1, R2 = H, C1-22 organic group; OA = C2-4 oxyalkylene; n = 0-200), amines having change in heat of formation 10-152 kcal/mol by protonation, and optionally N+R3R4R5R6OH- (R3-R6 = C1-24 hydrocarbyl, (R70)pH; R7 = C2-4 alkylene; p = 1-6) and polyhydric alcs. Also claimed is manufacture of electronic materials and parts, e.g., liquid crystal display panels, semiconductor chips, by cleaning with the cleaners. Thus, a Si wafer (the number of deposited particles >10,000) was soaked in a cleaner containing 3-trimethylammonio-2-hexadecyloxymethyl propionate and DBU at 20° for 20 min, showing the number of deposited particles 70.

IT 940935-15-9P

(surfactants containing carboxybetaines and amines for cleaning of liquid

crystal display panels and semiconductor chips)

RN 940935-15-9 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -isooctadecyl- ω -[[2-(methoxycarbonyl)-2-propen-1-yl]oxy]- (CA INDEX NAME)

$$\text{MeO-} \overset{\text{O}}{\text{U}} \overset{\text{CH2}}{\text{U}} \text{CH2} = \text{O} \overset{\text{CH2}}{\text{U}} \text{CH2} = \text{OH2} - \text{OH2} = \text{OH2} + \text{OH2} = \text{OH2$$

CC 46-6 (Surface Active Agents and Detergents)
Section cross-reference(s): 74, 76

IT Polyoxyalkylenes

(carboxybetaines; surfactants containing carboxybetaines and amines for cleaning of liquid crystal display panels and semiconductor chips)

IT 4224-69-5P, Methyl α -bromomethylacrylate 15484-46-5P, Methyl

 α -hydroxymethylacrylate 940927-06-0P **940935-15-9P**

(surfactants containing carboxybetaines and amines for cleaning of liquid crystal display panels and semiconductor chips)

L50 ANSWER 3 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2006:541060 HCAPLUS Full-text

DOCUMENT NUMBER: 145:33502

TITLE: Carboxybetaines with improved moisturizing

properties, their preparation, and moisturizers

and cosmetics containing them

INVENTOR(S):
Sakurai, Kenichi

PATENT ASSIGNEE(S): Sanyo Chemical Industries, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 18 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

DATE		
118		
118		

AB The carboxybetaines, useful for amphoteric surfactants, are depicted as R12N+(R3CO2-)R2[N+R1(R3CO2-)R2]mN1R12(R3CO2-) [R1 = C1-22 organic group; R2 = C1-8 organic group; R3 = methylene, CH2CHR4; R4 = H, Me; R5(AO)nOCH2; R5 = H, C1-22 organic group; AO = C2-4 oxyalkylene; n = 0-200; m = 0-6]. Thus, an aqueous solution of 5% N,N'-dimethyl-N,N'-dipropylethylenediammoniodipropionate, prepared by quaternizing Na N,N'-dipropyl-3,3'-(ethylenediimino)dipropionate with MeC1, showed good initial moisturizing properties and moisture retention on skins.

IT 198488-74-3P, Methyl

 $\alpha\text{-}[\text{hydroxyethyl}(\text{polyoxyethylene})\,\text{oxymethyl}]\,\text{acrylate}$ (aminocarboxylic acid from; preparation of carboxybetaines for cosmetics with improved moisturizing properties)

RN 198488-74-3 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(methoxycarbonyl)-2-propenyl]- ω -hydroxy- (9CI) (CA INDEX NAME)

$$\mathtt{MeO-}\overset{\mathtt{O}}{\mathtt{C}-}\overset{\mathtt{CH}\,2}{\mathtt{C}-}\mathtt{CH}_2 - \underbrace{}_{\mathtt{C}} \mathtt{O-}\,\mathtt{CH}_2 - \mathtt{CH}_2 - \underbrace{}_{\mathtt{n}} \mathtt{OH}$$

IT 318234-53-6P, Methyl

 α -[butoxyethyl(polyoxyethylene)oxymethyl]acrylate

(for aminocarboxyl compound preparation; preparation of carboxybetaines for cosmetics with improved moisturizing properties)

RN 318234-53-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]- (9CI) (CA INDEX NAME)

$$\texttt{MeO-} \overset{\texttt{O}}{\texttt{C}} \overset{\texttt{CH2}}{\texttt{CH2}} - \texttt{CH2} - \texttt{O} \overset{\texttt{CH2}}{\texttt{D}} - \texttt{CH2} - \texttt{O} \overset{\texttt{D}}{\texttt{D}} - \texttt{Bu-n}$$

CC 62-4 (Essential Oils and Cosmetics)

IT Polyoxyalkylenes, biological studies

(betaines; preparation of carboxybetaines for cosmetics with improved moisturizing properties)

IT 198488-74-3P, Methyl

 α -[hydroxyethyl(polyoxyethylene)oxymethyl]acrylate

(aminocarboxylic acid from; preparation of carboxybetaines for cosmetics with improved moisturizing properties)

IT 15484-46-5P, Methyl α -hydroxymethylacrylate 17361-75-0P,

N, N'-Dipropylethylenediamine 23873-54-3P,

 α -Hydroxymethylacrylonitrile 68555-41-9P,

N,N,N',N'-Tetrapropylethylenediamine 318234-53-69, Methyl

 α -[butoxyethyl(polyoxyethylene)oxymethyl]acrylate 318234-90-1P

747345-59-1P, N,N'-Dimethyl-N,N'-dipropylethylenediamine

876908-49-5P, α -

 $[\verb|Hydrox|yethyl| (polyoxyethylene) oxymethyl] acrylonitrile$

(for aminocarboxyl compound preparation; preparation of carboxybetaines for cosmetics with improved moisturizing properties)

IT 50-00-0, Formaldehyde, reactions 75-21-8, Ethylene oxide, reactions

96-33-3, Methyl acrylate 107-13-1, Acrylonitrile, reactions

9004-77-7, Polyethylene glycol monobutyl ether

(for vinyl compound preparation; preparation of carboxybetaines for cosmetics

with improved moisturizing properties)

L50 ANSWER 4 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2006:541058 HCAPLUS Full-text

DOCUMENT NUMBER: 145:33501

TITLE: Aminocarboxylic acids, their preparation, and

detergents containing them for leaving

moisturizing feelings to skins

INVENTOR(S):
Sakurai, Kenichi

PATENT ASSIGNEE(S): Sanyo Chemical Industries, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 14 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE		
JP 2006143633	А	20060608	JP 2004-334375	20041118		
			<			
PRIORITY APPLN. INFO.:			JP 2004-334375	20041118		

OTHER SOURCE(S): MARPAT 145:33501

AB The compds., useful for amphoteric surfactants, are depicted as R1N(CH2CHR3CO2M)R2[N(CH2CHR3CO2M)R2]mNR1CH2CHR3CO2M [R1 = C1-22 organic group; R2 = C1-8 organic group; R3 = H, Me, R3(AO)nOCH2; R4 = H, C1-22 organic group; AO = C2-4 oxyalkylene; n = 0-200; M = H, metal, ammonium; m = 0-6]. Thus, a cleansing agent containing N,N'-dipropyl-3,3'-(ethylenediimino)dipropionic acid (prepared from N,N'-dipropylethylenediamine and acrylic acid) showed good foaming stability and left no sliminess or tautness to skins after cleansing.

<--

IT 198488-74-3P, Methyl

 α -[hydroxyethyl(polyoxyethylene)oxymethyl]acrylate

318234-53-6P, Methyl α -

[butoxyethyl(polyoxyethylene)oxymethyl]acrylate

(aminocarboxylic acid from; preparation of aminocarboxylic acids from vinyl compds. and polyamines for amphoteric surfactants for skin-cleaning detergents leaving moisturizing feelings to skins)

RN 198488-74-3 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(methoxycarbonyl)-2-propenyl]- ω -hydroxy- (9CI) (CA INDEX NAME)

$$\texttt{MeO-CH2} = \texttt{CH2} = \texttt{CH2}$$

RN 318234-53-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]- (9CI) (CA INDEX NAME)

$$\mathtt{MeO} = \overset{\mathtt{O}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}{\overset{\mathtt{CH2}}}}{\overset{\mathtt{CH2}}}}}}}}}}}}}}}}}}}}$$

CC 62-4 (Essential Oils and Cosmetics)

Section cross-reference(s): 46

IT Polyoxyalkylenes, biological studies

(amine- and carboxyl-containing; preparation of aminocarboxylic acids from vinyl compds. and polyamines for amphoteric surfactants for skin-cleaning detergents leaving moisturizing feelings to skins)

IT 15484-46-5P, Methyl α -hydroxymethylacrylate 17361-75-0P, N,N'-Dipropylethylenediamine 23873-54-3P,

 α -Hydroxymethylacrylonitrile 198488-74-39, Methyl

 $\alpha\text{--} [\, \text{hydroxyethyl} \, (\, \text{polyoxyethylene} \,) \, \text{oxymethyl} \,] \, \text{acrylate}$

318234-53-6P, Methyl α -

[butoxyethyl(polyoxyethylene)oxymethyl]acrylate 318234-90-1P 876908-49-5P, α -

[Hydroxyethyl(polyoxyethylene)oxymethyl]acrylonitrile

(aminocarboxylic acid from; preparation of aminocarboxylic acids from vinyl compds. and polyamines for amphoteric surfactants for skin-cleaning detergents leaving moisturizing feelings to skins)

50-00-0, Formaldehyde, reactions 75-21-8, Ethylene oxide, reactions

96-33-3, Methyl acrylate 107-13-1, Acrylonitrile, reactions

9004-77-7, Polyethylene glycol monobutyl ether

(for vinyl compound preparation; preparation of aminocarboxylic acids from vinyl compds. and polyamines for amphoteric surfactants for skin-cleaning detergents leaving moisturizing feelings to skins)

L50 ANSWER 5 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2006:190641 HCAPLUS Full-text

DOCUMENT NUMBER: 144:254964

TITLE: Polyoxyalkylene chain-containing vinyl

monomers and their polymers

INVENTOR(S):
Sakurai, Kenichi

PATENT ASSIGNEE(S): Sanyo Chemical Industries Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 16 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2006057040	A	20060302	JP 2004-242110	20040823
			<	
PRIORITY APPLN. INFO.:			JP 2004-242110	20040823
			<	

The monomers which are scarcely hydrolyzed, are represented by R(OA)nOCH2CHX:CH2 (OA = C2-4 oxyalkylene; n = 1-200; X = CO2H, CO2R', CO2M, CO2NR'4, CONR'2, CN; M = metal; R, R' = H, C1-6 org). The polymers for coating binders, adhesives, dispersants, cement additives, scale inhibitors, thickeners, flocculants, etc., contain the monomers and optionally (meth)acrylic acids or their salts. Thus, Me α -hydroxymethylacrylate [prepared from Me acrylate and HCHO] was reacted with ethylene oxide to give a polyoxyethylene chain-containing monomer, which was polymerized with acrylic acid and then neutralized with NaOH to give a water-soluble vinyl polymer showing good mortar dispersibility even after 2 mo-storage.

IT 877071-00-6P, Acrylic acid-polyethylene glycol

monoether with methyl α -hydroxymethylacrylate graft copolymer sodium salt 877071-03-9P, Acrylic

acid-N,N-dimethyl- α -

[hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide graft copolymer sodium salt 877071-04-0P, Acrylic acid-polyethylene glycol butyl ether methyl α -hydroxymethylacrylate ether graft copolymer sodium salt 877071-06-2P, Acrylic

acid-N,N-dimethyl- α -

 $\verb|butoxyethyl| (polyoxyethylene) oxymethylacrylamide graft copolymer sodium salt$

(cement additive; polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

RN 877071-00-6 HCAPLUS

CN 2-Propenoic acid, polymer with

 α -[2-(methoxycarbonyl)-2-propenyl]- ω -hydroxypoly(oxy-1,2-

ethanediyl), graft, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 876596-51-9

CMF (C3 H4 O2 . (C2 H4 O)n C5 H8 O3)x

CCI PMS

CM 2

CRN 198488-74-3

CMF (C2 H4 O)n C5 H8 O3

CCI PMS

$$\text{MeO-} \overset{\text{O}}{\text{C}} \overset{\text{CH2}}{\text{C}} \overset{\text{CH2}}{\text{CH2}} \overset{\text{CH2}}{\text{CH2}} \overset{\text{CH2}}{\text{CH2}} \overset{\text{O}}{\text{D}} \text{OH}$$

CM 3

CRN 79-10-7 CMF C3 H4 O2

RN 877071-03-9 HCAPLUS

CN 2-Propenoic acid, polymer with

 α -[2-[(dimethylamino)carbonyl]-2-propenyl]- ω -

hydroxypoly(oxy-1,2-ethanediyl), graft, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 876596-55-3

CMF (C3 H4 O2 . (C2 H4 O)n C6 H11 N O2)x

CCI PMS

CM 2

CRN 876596-54-2

CMF (C2 H4 O)n C6 H11 N O2

$$\begin{array}{c|c} \text{Me}_{2}\text{N} - \overset{\text{O}}{\text{C}} \overset{\text{CH}_2}{\text{C}} & \text{CH}_2 & \text{CH}_2 & \text{CH}_2 \\ \end{array} \\ \end{array} \text{O-CH}_2 - \text{CH}_2 - \text{CH}_2 \\ \end{array} \text{O-DH}_2 - \text{CH}_2 - \text{CH}_2 - \text{CH}_2 \\ \end{array}$$

CM3

CRN 79-10-7 CMF C3 H4 O2

RN 877071-04-0 HCAPLUS

CN 2-Propenoic acid, polymer with

> α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]poly(oxy-1,2-ethanediyl), graft, sodium salt (9CI) (CA INDEX NAME)

СМ 1

CRN 876596-56-4

(C3 H4 O2 . (C2 H4 O)n C9 H16 O3)x CMF

CCI PMS

> CM2

CRN 318234-53-6

CMF (C2 H4 O)n C9 H16 O3

CCI PMS

CM 3

CRN 79-10-7

CMF C3 H4 O2

877071-06-2 HCAPLUS RN

CN 2-Propenoic acid, polymer with

> α -butyl- ω -[2-[(dimethylamino)carbonyl]-2-propenyl]poly(oxy-1,2-ethanediyl), graft, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 876596-58-6

CMF (C3 H4 O2 . (C2 H4 O)n C10 H19 N O2)x

CCI PMS

CM 2 CRN 876596-57-5 CMF (C2 H4 O)n C10 H19 N O2 CCI PMS

CM 3

CRN 79-10-7 CMF C3 H4 O2

877071-09-5P, Acrylamide-acryloyloxyethyltrimethylammonium ΙT chloride-polyethylene glycol monoether with methyl α -hydroxymethylacrylate graft copolymer 877071-11-9P , Acrylamide-acryloyloxyethyltrimethylammonium chloride-N, N-dimethyl- α -[hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide graft copolymer 877071-12-0P, Acrylamide-acryloyloxyethyltrimethylammonium chloride-polyethylene glycol butyl ether methyl α -hydroxymethylacrylate ether graft copolymer 877071-14-2P, Acrylamide-acryloyloxyethyltrimethylammonium chloride-N,N-dimethyl- α butoxyethyl(polyoxyethylene)oxymethylacrylamide graft copolymer (flocculant; polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance) RN 877071-09-5 HCAPLUS CN Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2-propenyl)oxy]-, chloride, polymer with α -[2-(methoxycarbonyl)-2-propenyl]- ω hydroxypoly(oxy-1,2-ethanediyl) and 2-propenamide, graft (9CI) (CA

CM 1

INDEX NAME)

CRN 198488-74-3 CMF (C2 H4 O)n C5 H8 O3 CCI PMS

$$\begin{array}{c|c} \text{MeO-} \overset{\text{C}}{\text{C}} & \overset{\text{CH2}}{\text{C}} & \text{CH2} \\ \end{array} \\ \begin{array}{c|c} \text{CH2} & \text{CH2} & \text{CH2} \\ \end{array} \\ \begin{array}{c|c} \text{O-} & \text{CH2} & \text{CH2} \\ \end{array} \\ \begin{array}{c|c} \text{D} & \text{$$

CM 2

CRN 44992-01-0 CMF C8 H16 N O2 . Cl

Me3+N-CH2-CH2-O-C-CH-CH2

● cl -

CM 3

CRN 79-06-1 CMF C3 H5 N O

H2N—C—CH—CH2

RN 877071-11-9 HCAPLUS


CN Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2-propenyl)oxy]-, chloride, polymer with α -[2-[(dimethylamino)carbonyl]-2-propenyl]- ω -hydroxypoly(oxy-1,2-ethanediyl) and 2-propenamide, graft (9CI) (CA INDEX NAME)

CM 1

CRN 876596-54-2

CMF (C2 H4 O)n C6 H11 N O2

CCI PMS



CM 2

CRN 44992-01-0

CMF C8 H16 N O2 . C1

CM 3

CRN 79-06-1 CMF C3 H5 N O

RN 877071-12-0 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2-propenyl)oxy]-, chloride, polymer with α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]poly(oxy-1,2-ethanediyl) and 2-propenamide, graft (9CI) (CA INDEX NAME)

CM 1

CRN 318234-53-6

CMF (C2 H4 O)n C9 H16 O3

CCI PMS

CM 2

CRN 44992-01-0 CMF C8 H16 N O2 . Cl

● cl -

CM 3

CRN 79-06-1 CMF C3 H5 N O

RN 877071-14-2 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2-propenyl)oxy]-, chloride, polymer with α -butyl- ω -[[2-[(dimethylamino)carbonyl]-2-propenyl]oxy]poly(oxy-1,2-ethanediyl) and 2-propenamide, graft (9CI) (CA INDEX NAME)

CM 1

CRN 876596-57-5

CMF (C2 H4 O)n C10 H19 N O2

CCI PMS

CM 2

CRN 44992-01-0 CMF C8 H16 N O2 . C1

● c1-

CM 3

CRN 79-06-1 CMF C3 H5 N O

IT 198488-74-3P, Polyethylene glycol monoether with
 methyl α-hydroxymethylacrylate 318234-53-6P,
 Polyethylene glycol butyl ether methyl
 α-hydroxymethylacrylate ether 876596-54-2P,
 N,N-Dimethyl-α-[hydroxyethyl(polyoxyethylene)oxymethyl]acrylamid
 e 876596-57-5P
 (macromonomer; polyoxyalkylene chain-containing vinyl
 monomers and their polymers with high hydrolysis resistance)
RN 198488-74-3 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(methoxycarbonyl)-2-propenyl]- ω -hydroxy- (9CI) (CA INDEX NAME)

$$\texttt{MeO-CH2} \leftarrow \texttt{CH2} \leftarrow \texttt{CH2}$$

RN 318234-53-6 HCAPLUS

CN Poly(oxy-1,2-ethanediy1), α -buty1- ω -[[2-(methoxycarbony1)-2-propeny1]oxy]- (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} \text{MeO-} \overset{\text{C}}{\text{C}} & \overset{\text{CH2}}{\text{C}} & \text{CH2-} & \text{CH2-} & \text{CH2-} & \text{CH2-} & \text{O} \\ \hline \end{array} \\ \text{MeO-} \overset{\text{C}}{\text{C}} & \overset{C}{\text{C}} & \overset{C}{\text{C}} & \overset{C}{\text{C}} & \overset{C}{\text{C}} & \overset{C}{\text{C}$$

RN 876596-54-2 HCAPLUS

CN Poly(oxy-1,2-ethanediy1), α -[2-[(dimethylamino)carbony1]-2-propeny1]- ω -hydroxy- (9CI) (CA INDEX NAME)

RN 876596-57-5 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -butyl- ω -[[2- [(dimethylamino)carbonyl]-2-propenyl]oxy]- (9CI) (CA INDEX NAME)

877071-18-6P, Acrylic acid-pentaerythritol triallyl ΙT ether-polyethylene glycol monoether with methyl α -hydroxymethylacrylate copolymer sodium salt 877071-22-29, Acrylic acid-N,N-dimethyl- α -[hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide-pentaerythritol triallyl ether copolymer sodium salt 877071-24-49, Acrylic acid-pentaerythritol triallyl ether-polyethylene glycol butyl ether methyl α -hydroxymethylacrylate ether copolymer sodium salt 877071-28-8P, Acrylic acid-N,N-dimethyl- α butoxyethyl (polyoxyethylene) oxymethylacrylamide-pentaerythritol triallyl ether copolymer sodium salt (water absorbent; polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance) 877071-18-6 HCAPLUS RN CN 2-Propenoic acid, polymer with

 $\alpha\text{-[2-(methoxycarbonyl)-2-propenyl]-}\omega\text{-hydroxypoly(oxy-1,2-ethanediyl)}$ and 3-(2-propenyloxy)-2,2-bis[(2-propenyloxy)methyl]-1-

propanol, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 877071-17-5

CMF (C14 H24 O4 . C3 H4 O2 . (C2 H4 O)n C5 H8 O3)x

CCI PMS

CM 2

CRN 198488-74-3

CMF (C2 H4 O)n C5 H8 O3

CCI PMS

$$\text{MeO-} \overset{\text{O}}{\text{C}} \overset{\text{CH}\,2}{\text{C}} \overset{\text{CH}\,2}{\text{CH}\,2} \overset{\text{CH}\,2}{\text{C}} \overset{\text{CH}\,2}{\text{C}} \overset{\text{CH}\,2}{\text{C}} \overset{\text{CH}\,2}{\text{D}} \overset{\text{O}\,\text{H}\,2}{\text{O}} \overset{\text{C}}{\text{C}} \overset{\text{C}\,\text{H}\,2}{\text{C}} \overset{\text{C}\,\text{H}\,2}} \overset{\text{C}\,\text{H}\,2} \overset{\text{C}\,\text{H}\,2} \overset{\text{C}\,\text{L}\,2} \overset{\text{C}\,\text{L}\,2} \overset{\text{C}\,\text{L}\,2} \overset{\text{C}$$

CM 3

CRN 1471-17-6 CMF C14 H24 O4

CM 4

CRN 79-10-7 CMF C3 H4 O2

RN 877071-22-2 HCAPLUS

CN 2-Propenoic acid, polymer with

 α -[2-[(dimethylamino)carbonyl]-2-propenyl]- ω -

hydroxypoly(oxy-1,2-ethanediyl) and

3-(2-propenyloxy)-2,2-bis[(2-propenyloxy)methyl]-1-propanol, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 877071-21-1

CMF (C14 H24 O4 . C3 H4 O2 . (C2 H4 O)n C6 H11 N O2)x

CM 2

CRN 876596-54-2

CMF (C2 H4 O)n C6 H11 N O2

CCI PMS

$$Me_2N$$
 — CH_2 —

CM 3

CRN 1471-17-6 CMF C14 H24 O4

CM 4

CRN 79-10-7 CMF C3 H4 O2

RN 877071-24-4 HCAPLUS

CN 2-Propenoic acid, polymer with

 α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]poly(oxy-1,2-ethanediyl) and 3-(2-propenyloxy)-2,2-bis[(2-propenyloxy)methyl]-1-propanol, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 877071-23-3

CMF (C14 H24 O4 . C3 H4 O2 . (C2 H4 O)n C9 H16 O3)x

CCI PMS

CM 2

CRN 318234-53-6

CMF (C2 H4 O)n C9 H16 O3

$$\begin{array}{c|c} \text{MeO} & \text{CH2} \\ \text{MeO} & \text{CH2} \\ \text{CH2} & \text{CH2} \\ \text{O} & \text{CH2} \\ \end{array} \\ \begin{array}{c|c} \text{CH2} & \text{CH2} \\ \text{O} & \text{In} \\ \end{array} \\ \text{Bu-n}$$

CM 3

CRN 1471-17-6 CMF C14 H24 O4

CM 4

CRN 79-10-7 CMF C3 H4 O2

RN 877071-28-8 HCAPLUS

CN 2-Propenoic acid, polymer with $\alpha - \text{butyl-} \omega - [[2-[(\text{dimethylamino}) \text{carbonyl}] - 2 - \\ \text{propenyl}] \text{oxy}] \text{poly}(\text{oxy-}1,2-\text{ethanediyl}) \text{ and } \\ 3-(2-\text{propenyloxy}) - 2,2-\text{bis}[(2-\text{propenyloxy}) \text{methyl}] - 1-\text{propanol}, \text{ sodium salt (9CI)} (CA INDEX NAME) }$

CM 1

CRN 877071-27-7

CMF (C14 H24 O4 . C3 H4 O2 . (C2 H4 O)n C10 H19 N O2) \times

CCI PMS

CM 2

CRN 876596-57-5

CMF (C2 H4 O)n C10 H19 N O2

CM 3

CRN 1471-17-6 CMF C14 H24 O4

CM 4

CRN 79-10-7 CMF C3 H4 O2

CC 37-3 (Plastics Manufacture and Processing) Section cross-reference(s): 35, 38, 58, 60

ST polyoxyalkylene chain vinyl monomer polymer hydrolysis resistance; acrylic polyoxyethylene cement additive sludge flocculant water absorbent; polyethylene glycol hydroxymethylacrylate ether macromer acrylic acid copolymer

IT Polyoxyalkylenes, preparation

(acrylic, graft; polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

IT Macromonomers

(polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

IT Cement

(vinyl polymer additive for; polymyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

IT Flocculants

Polyelectrolytes

(vinyl polymer for; polycayalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

IT Absorbents

(water, vinyl polymer for; polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

167763-00-0P, Acrylic acid-ethylene oxide graft copolymer sodium salt 288371-11-9P, Acrylic acid-ethylene oxide graft copolymer butyl ether sodium salt 877071-00-6P, Acrylic acid-polyethylene

glycol monoether with methyl $\alpha\textsc{-hydroxymethylacrylate}$

graft copolymer sodium salt 877071-02-8P, Acrylic acid-polyethylene glycol monoether with α -hydroxymethylacrylonitrile graft

copolymer sodium salt 877071-03-9P, Acrylic

acid-N,N-dimethyl- α -

[hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide graft copolymer sodium salt 877071-04-0P, Acrylic acid-polyethylene glycol butyl ether methyl α -hydroxymethylacrylate ether graft copolymer sodium salt 877071-05-1P, Acrylic

```
acid-\alpha-butoxyethyl(polyoxyethylene)oxymethylacrylonitrile graft
     copolymer sodium salt 877071-06-2P, Acrylic
     acid-N,N-dimethyl-\alpha-
     butoxyethyl(polyoxyethylene)oxymethylacrylamide graft copolymer sodium
            877071-07-3P, Acrylic acid-polyethylene glycol
     mono(2-carboxy-2-propenyl) ether sodium salt graft copolymer sodium
            877071-08-4P, Acrylic acid-polyethylene glycol butyl
     2-carboxy-2-propenyl ether sodium salt graft copolymer sodium salt
        (cement additive; polyoxyalkylene chain-containing vinyl
        monomers and their polymers with high hydrolysis resistance)
     591219-65-7P, Acrylamide-acryloyloxyethyltrimethylammonium
ΤТ
     chloride-ethylene oxide graft copolymer
                                               877071-09-5P,
     Acrylamide-acryloyloxyethyltrimethylammonium chloride-polyethylene
     glycol monoether with methyl \alpha-hydroxymethylacrylate
     graft copolymer 877071-10-8P,
     Acrylamide-acryloyloxyethyltrimethylammonium chloride-polyethylene
     glycol monoether with \alpha-hydroxymethylacrylonitrile graft
     copolymer
                 877071-11-99,
     Acrylamide-acryloyloxyethyltrimethylammonium
     chloride-N, N-dimethyl-\alpha-
     [hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide graft copolymer
     877071-12-09, Acrylamide-acryloyloxyethyltrimethylammonium
     chloride-polyethylene glycol butyl ether methyl
     \alpha-hydroxymethylacrylate ether graft copolymer
     877071-14-2P, Acrylamide-acryloyloxyethyltrimethylammonium
     chloride-N, N-dimethyl-\alpha-
     butoxyethyl(polyoxyethylene)oxymethylacrylamide graft copolymer
     877071-15-3P, Acrylamide-acryloyloxyethyltrimethylammonium
     chloride-polyethylene glycol mono(2-carboxy-2-propenyl)
     ether sodium salt graft copolymer 877071-16-4P,
     Acrylamide-acryloyloxyethyltrimethylammonium chloride-polyethylene
     glycol butyl 2-carboxy-2-propenyl ether sodium salt graft
                877117-69-6P, Acrylamide-acryloyloxyethyltrimethylammonium
     chloride-ethylene oxide graft copolymer butyl ether
        (flocculant; polyoxyalkylene chain-containing vinyl monomers
        and their polymers with high hydrolysis resistance)
ΙT
     4224-69-5P, Methyl \alpha-bromomethylacrylate
                                                15484-46-5P, Methyl
     \alpha-hydroxymethylacrylate
                               23873-54-3P,
     \alpha-Hydroxymethylacrylonitrile
                                     876908-50-8P,
     N, N-Dimethyl-\alpha-hydroxymethylacrylamide
        (macromonomer from; polyoxyalkylene chain-containing vinyl
        monomers and their polymers with high hydrolysis resistance)
ΙT
     50-00-0, Formaldehyde, reactions 75-21-8, Ethylene oxide, reactions
     96-33-3, Methyl acrylate
                               107-13-1, Acrylonitrile, reactions
                                        7789-60-8, Phosphorus tribromide
     2680-03-7, N,N-Dimethylacrylamide
     9004-77-7, Polyethylene glycol butyl ether
        (macromonomer from; polyoxyalkylene chain-containing vinyl
        monomers and their polymers with high hydrolysis resistance)
                   198488-74-3P, Polyethylene glycol
ΤТ
     183892-71-9P
     monoether with methyl \alpha-hydroxymethylacrylate
     318234-53-6P, Polyethylene glycol butyl ether methyl
     \alpha-hydroxymethylacrylate ether
                                      876596-52-0P,
     \alpha-Butoxyethyl (polyoxyethylene) oxymethylacrylonitrile
     876596-54-2P, N,N-Dimethyl-\alpha-
     [hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide
     876596-57-5P
                   876596-60-0P
                                   876908-49-5P, Polyethylene
     glycol monoether with \alpha-hydroxymethylacrylonitrile
```

(macromonomer; polyoxyalkylene chain-containing vinyl

monomers and their polymers with high hydrolysis resistance)

T 877071-18-6P, Acrylic acid-pentaerythritol triallyl

ether-polyethylene glycol monoether with methyl

 $\alpha\text{-hydroxymethylacrylate}$ copolymer sodium salt $\,$ 877071-20-0P,

Acrylic acid-pentaerythritol triallyl ether-polyethylene

glycol monoether with $\alpha\textsc{-hydroxymethylacrylonitrile}$

copolymer sodium salt 877071-22-2P, Acrylic

acid-N,N-dimethyl- α -

[hydroxyethyl(polyoxyethylene)oxymethyl]acrylamide-pentaerythritol

triallyl ether copolymer sodium salt 877071-24-4P, Acrylic

 $\verb|acid-penta| erythritol trially| ether-polyethylene \verb|glycol||$

butyl ether methyl α -hydroxymethylacrylate ether copolymer

sodium salt 877071-26-6P, Acrylic

 $\verb|acid-\alpha-b| \verb|utox| yethyl (polyoxyethylene) oxymethylacrylonitrile-$

pentaerythritol triallyl ether copolymer sodium salt

877071-28-8P, Acrylic acid-N,N-dimethyl- α -

butoxyethyl (polyoxyethylene) oxymethylacrylamide-pentaerythritol

triallyl ether copolymer sodium salt 877071-30-2P, Acrylic

acid-pentaerythritol triallyl ether-polyethylene glycol

mono(2-carboxy-2-propenyl) ether sodium salt copolymer sodium salt 877071-32-4P, Acrylic acid-pentaerythritol triallyl ether-polyethylene

glycol butyl 2-carboxy-2-propenyl ether sodium saltt copolymer

sodium salt

(water absorbent; polyoxyalkylene chain-containing vinyl monomers and their polymers with high hydrolysis resistance)

L50 ANSWER 6 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2006:190639 HCAPLUS Full-text

DOCUMENT NUMBER: 144:255320

TITLE: Water-absorbing acrylic polymers with high gel

modulus and water absorbents containing them

INVENTOR(S):
Sakurai, Kenichi

PATENT ASSIGNEE(S): Sanyo Chemical Industries Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2006057039	A	20060302	JP 2004-242107	20040823
			<	

PRIORITY APPLN. INFO.:

JP 2004-242107 20040823

Title polymers, suitable for sanitary goods, etc., contain units from vinyl monomers R(OA)nOCH2CHX:CH2 (OA = C2-4 oxyalkylene; n = 1-200; X = CO2H, CO2R', CO2M, CO2NR', CONR'2, CN; M = metal; R, R' = H, C1-6 organic group) and optionally (meth)acrylic acid (salt) units. Thus, ethylene oxide was added dropwise to Me α-(hydroxymethyl)acrylate (I; manufactured by treating Me acrylate with HCHO) to obtain polyethylene glycol monoether of I, which was polymerized with acrylic acid and pentaerythritol triallyl ether, neutralized with aqueous NaOH, dried, powdered, and surface- crosslinked with ethylene glycol diglycidyl ether to give a water-absorbing polymer showing gel modulus 50,000 N/m2 and artificial urine absorption 32 g/g under 20 g/cm2 pressure.

IT 198488-74-39, Polyethylene glycol monoether with methyl α -(hydroxymethyl)acrylate 318234-53-69,

Polyethylene glycol ether with butanol and methyl α-(hydroxymethyl)acrylate 876596-54-2F, Polyethylene glycol monoether with N,N-dimethyl-α-(hydroxymethyl)acrylamimde 876596-57-5F, Polyethylene glycol ether with butanol and N,N-dimethyl-α-(hydroxymethyl)acrylamide (water-absorbing acrylic polyoxyalkylenes with high gel modulus and water absorbents containing them for sanitary goods)
RN 198488-74-3 HCAPLUS
CN Poly(oxy-1,2-ethanediyl), α-[2-(methoxycarbonyl)-2-propenyl]- ω-hydroxy- (9CI) (CA INDEX NAME)

$$\texttt{MeO-CH2} = \texttt{CH2} = \texttt{CH2}$$

RN 318234-53-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]- (9CI) (CA INDEX NAME)

$$\texttt{MeO-CH2} = \texttt{CH2-CH2-O-Bu-n}$$

RN 876596-54-2 HCAPLUS

CN Poly(oxy-1,2-ethanediy1), α -[2-[(dimethylamino)carbony1]-2-propeny1]- ω -hydroxy- (9CI) (CA INDEX NAME)


$$Me_2N$$
— CH_2 —

RN 876596-57-5 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -butyl- ω -[[2- [(dimethylamino)carbonyl]-2-propenyl]oxy]- (9CI) (CA INDEX NAME)

IT 876908-52-09, Acrylic acid-ethylene glycol diglycidyl ether-pentaerythritol triallyl ether-polyethylene glycol monoether with methyl α -(hydroxymethyl) acrylate copolymer sodium salt 876908-56-49, Acrylic acid-ethylene glycol diglycidyl ether-pentaerythritol triallyl


ether-polyethylene glycol monoether with N,N-dimethyl- α -(hydroxymethyl) acrylamide copolymer sodium salt 876908-58-6P, Acrylic acid-ethylene glycol diglycidyl ether-pentaerythritol triallyl ether-polyethylene alveel ether with butanol and methyl α -(hydroxymethyl) acrylate copolymer sodium salt 876908-62-2P, Acrylic acid-ethylene glycol diglycidyl ether-pentaerythritol triallyl ether-polyethylene glycol ether with butanol and N, N-dimethyl- α -(hydroxymethyl)acrylamide copolymer sodium salt (water-absorbing acrylic polyoxyalkylenes with high gel modulus and water absorbents containing them for sanitary goods) 876908-52-0 HCAPLUS RN CN 2-Propenoic acid, polymer with 2,2'-[1,2-ethanediylbis(oxymethylene)]bis[oxirane], α -[2-(methoxycarbonyl)-2-propenyl]- ω -hydroxypoly(oxy-1,2ethanediyl) and 3-(2-propenyloxy)-2,2-bis[(2-propenyloxy)methyl]-1propanol, sodium salt (9CI) (CA INDEX NAME) CM 1 CRN 876908-51-9 CMF (C14 H24 O4 . C8 H14 O4 . C3 H4 O2 . (C2 H4 O)n C5 H8 O3)x CCI PMS CM CRN 198488-74-3 CMF (C2 H4 O)n C5 H8 O3 CCI PMS



CM 3

CRN 2224-15-9

CMF C8 H14 O4



CM 4

CRN 1471-17-6 CMF C14 H24 O4

CM 5
CRN 79-10-7

CMF C3 H4 O2

876908-56-4 HCAPLUS RN CN 2-Propenoic acid, polymer with α -[2-[(dimethylamino)carbonyl]-2-propenyl]- ω hydroxypoly(oxy-1,2-ethanediyl), 2,2'-[1,2-ethanediylbis(oxymethylene)]bis[oxirane] and 3-(2-propenyloxy)-2,2-bis[(2-propenyloxy)methyl]-1-propanol, sodium salt (9CI) (CA INDEX NAME) CM 1 CRN 876908-55-3 (C14 H24 O4 . C8 H14 O4 . C3 H4 O2 . (C2 H4 O)n C6 H11 N O2)x CMF CCI PMS 2 CM CRN 876596-54-2 (C2 H4 O)n C6 H11 N O2 CMF CCI PMS

CM 3

CRN 2224-15-9 CMF C8 H14 O4

CM 4

CRN 1471-17-6 CMF C14 H24 O4

CM 5

CRN 79-10-7 CMF C3 H4 O2

RN 876908-58-6 HCAPLUS

CM 1

CRN 876908-57-5

CMF (C14 H24 O4 . C8 H14 O4 . C3 H4 O2 . (C2 H4 O)n C9 H16 O3)x

CCI PMS

CM 2

CRN 318234-53-6

CMF (C2 H4 O)n C9 H16 O3

CCI PMS

CM 3

CRN 2224-15-9

CMF C8 H14 O4

CM

CRN 1471-17-6 CMF C14 H24 O4

СМ 5

CRN 79-10-7 CMF C3 H4 O2

876908-62-2 HCAPLUS RN

CN 2-Propenoic acid, polymer with α -butyl- ω -[[2-[(dimethylamino)carbonyl]-2propenyl]oxy]poly(oxy-1,2-ethanediyl), 2,2'-[1,2-ethanediylbis(oxymethylene)]bis[oxirane] and

3-(2-propenyloxy)-2,2-bis[(2-propenyloxy)methyl]-1-propanol, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 876908-61-1

CMF (C14 H24 O4 . C8 H14 O4 . C3 H4 O2 . (C2 H4 O)n C10 H19 N O2)x

CCI PMS


CM 2

CRN 876596-57-5

(C2 H4 O)n C10 H19 N O2 CMF

CM 3

CRN 2224-15-9 CMF C8 H14 O4



CM 4

CRN 1471-17-6 CMF C14 H24 O4

CM 5

CRN 79-10-7 CMF C3 H4 O2

CC 38-3 (Plastics Fabrication and Uses)

Section cross-reference(s): 63

- ST gel modulus acrylic polyoxyalkylene water absorbent; sanitary goods acrylic polyoxyalkylene water absorbent; polyoxyethylene hydroxymethylacrylate monoether macromonomer acrylic polyoxyalkylene
- IT Medical goods

(absorbents, sanitary goods; water-absorbing acrylic polyoxyalkylenes with high gel modulus and water absorbents containing them for sanitary goods)

IT Polyoxyalkylenes, uses

(acrylic; water-absorbing acrylic polyoxyalkylenes with high gel modulus and water absorbents containing them for sanitary goods)

IT Absorbents

(medical, sanitary goods; water-absorbing acrylic
polyoxyalkylenes with high gel modulus and water absorbents
containing them for sanitary goods)

IT Polyoxyalkylenes, preparation

(vinyl-terminated; water-absorbing acrylic polyoxyalkylenes with high gel modulus and water absorbents containing them for sanitary goods)

```
ΙT
     Macromonomers
        (water-absorbing acrylic polyoxyalkylenes with high gel
        modulus and water absorbents containing them for sanitary goods)
ΙT
     Absorbents
        (water; water-absorbing acrylic polyoxyalkylenes with
        high gel modulus and water absorbents containing them for sanitary
        goods)
     4224-69-5P, Methyl \alpha-(bromomethyl)acrylate 15484-46-5P, Methyl
ΙT
     \alpha-(hydroxymethyl)acrylate
                                  23873-54-3P,
     \alpha-(Hydroxymethyl)acrylonitrile 183892-71-9P, Polyethylene
     glycol mono(2-carboxy-2-propenyl) ether sodium salt
     198488-74-3P, Polyethylene glycol monoether with
     methyl \alpha-(hydroxymethyl)acrylate
                                         318234-53-6P,
     Polyethylene glycol ether with butanol and methyl
     \alpha-(hydroxymethyl)acrylate
                                  876596-52-0P, Polyethylene
     glycol ether with butanol and
     \alpha-(hydroxymethyl)acrylonitrile
                                       876596-54-29,
     Polyethylene glycol monoether with
     N,N-dimethyl-\alpha-(hydroxymethyl)acrylamimde
                                                  876596-57-5P
     , Polyethylene glycol ether with butanol and
     N, N-dimethyl-\alpha-(hydroxymethyl) acrylamide 876596-60-0P,
     Polyethylene glycol butyl 2-carboxy-2-propenyl ether sodium
            876908-49-5P, Polyethylene glycol monoether with
     salt
                                       876908-50-8P,
     \alpha-(hydroxymethyl)acrylonitrile
     N, N-Dimethyl-\alpha-(hydroxymethyl)acrylamide
        (water-absorbing acrylic polyoxyalkylenes with high gel
        modulus and water absorbents containing them for sanitary goods)
ΙT
     876908-52-0P, Acrylic acid-ethylene glycol
     diglycidyl ether-pentaerythritol triallyl ether-polyethylene
     glycol monoether with methyl \alpha-(hydroxymethyl) acrylate
     copolymer sodium salt 876908-54-2P, Acrylic acid-ethylene
     glycol diglycidyl ether-pentaerythritol triallyl
     ether-polyethylene glycol monoether with
     \alpha-(hydroxymethyl) acrylonitrile copolymer sodium salt
     876908-56-4P, Acrylic acid-ethylene glycol
     diglycidyl ether-pentaerythritol triallyl ether-polyethylene
     glycol monoether with N,N-dimethyl-\alpha-(hydroxymethyl)
     acrylamide copolymer sodium salt
                                       876908-58-6P, Acrylic
     acid-ethylene glycol diglycidyl ether-pentaerythritol
     triallyl ether-polyethylene glycol ether with butanol and
     methyl \alpha-(hydroxymethyl) acrylate copolymer sodium salt
     876908-60-0P, Acrylic acid-ethylene glycol diglycidyl
     ether-pentaerythritol triallyl ether-polyethylene glycol
     ether with butanol and \alpha-(hydroxymethyl)acrylonitrile copolymer
                  876908-62-2P, Acrylic acid-ethylene
     sodium salt
     glycol diglycidyl ether-pentaerythritol triallyl
     ether-polyethylene glycol ether with butanol and
     N, N-dimethyl-\alpha-(hydroxymethyl)acrylamide copolymer sodium salt
     876908-64-4P, Acrylic acid-ethylene glycol diglycidyl
     ether-pentaerythritol triallyl ether-polyethylene glycol
     mono(2-carboxy-2-propenyl) ether sodium salt copolymer sodium salt
     876908-66-6P, Acrylic acid-ethylene glycol diglycidyl
     ether-pentaerythritol triallyl ether-polyethylene glycol
     butyl 2-carboxy-2-propenyl ether sodium salt copolymer sodium salt
        (water-absorbing acrylic polyoxyalkylenes with high gel
        modulus and water absorbents containing them for sanitary goods)
     50-00-0, Formaldehyde, reactions 96-33-3, Methyl acrylate
ΤТ
```

107-13-1, Acrylonitrile, reactions 2680-03-7, N,N-Dimethylacrylamide (water-absorbing acrylic polyoxyalkylenes with high gel modulus and water absorbents containing them for sanitary goods)

L50 ANSWER 7 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2005:120699 HCAPLUS Full-text

DOCUMENT NUMBER: 142:204753

TITLE: Pharmaceutical compositions of adsorbates of

amorphous drugs and lipophilic microphase-forming

materials

INVENTOR(S): Babcock, Walter Christian; Friesen, Dwayne Thomas;

Shanker, Ravi Mysore; Smithey, Daniel Tod

PATENT ASSIGNEE(S): Pfizer Products Inc., USA SOURCE: PCT Int. Appl., 72 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.		KIND DATE		APPLICATION NO.												
	WO	2005	0116	 35		A2		2005	0210	1	wo 2	004-					0040723
	WO	2005	0116	35		A 3		2005	0317								
			ΑΕ, CH,	AG, CN,	AL, CO,	AM, CR,	AT, CU,	AU, CZ, HR,	AZ, DE,	BA, DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,
			MX, SE,	MZ, SG,	NA, SK,	NI, SL,	NO, SY,	LS, NZ, TJ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,
		RW:	BW, AM, DE, PT,	GH, AZ, DK, RO,	GM, BY, EE, SE,	KG, ES, SI,	LS, KZ, FI, SK,	MW, MD, FR, TR,	RU, GB, BF,	TJ, GR,	TM, HU,	AT, IE,	BE, IT,	BG, LU,	CH, MC,	CY, NL,	CZ, PL,
	CA	2532	•	•		,	,	2005		(CA 2	004-	2532	931		2	0040723
	EP	1653	927			A2		2006	0510	:	EP 2	-		49		2	0040723
		R:						ES,				IT,	LI,			SE,	MC,
	BR	2004	0132	77		А		2006	1010		BR 2	004-		7		2	0040723
	JP	2007	5012	18		T		2007	0125	ı	JP 2	006-		29		2	0040723
	US	2005	0031	693		A1		2005	0210	1	US 2	004-		48		2	0040803
	MX	2006	0014	17		A		2006	0515]	MX 2	006- <-	1417 			2	0060203
PRIO	RIT	Y APP	LN.	INFO	.:							<					0030804
										1		004-		98	,	W 2	0040723

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB A pharmaceutical composition comprises a solid adsorbate comprising a drug adsorbed onto a substrate and a lipophilic microphase-forming material. The solid adsorbate may also be co-administered with a lipophilic microphase-forming material to an in vivo use environment. The compns. of the present

invention enhance the concentration of drug in a use environment. A drug/substrate adsorbate containing 50% [2R,4S] 4-[(3,5-bis-trifluoromethyl-benzyl)-methoxycarbonyl-amino]-2-ethyl-6- trifluoromethyl-3,4-dihydro-2H-quinoline-1-carboxylic acid Et ester and 50% CAB-O-SIL M-5P was prepared The maximum concentration of drug in solution during the first 90 min MDC90 and AUC90 was 17.0 $\mu \text{g/mL}$ and 840 min* $\mu \text{g/mL}$.

IT 333305-83-2

(pharmaceutical compns. of adsorbates of amorphous drugs and lipophilic microphase-forming materials)

RN 333305-83-2 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -(3-ethoxy-2-methylene-3-oxopropyl)- ω -(3-ethoxy-2-methylene-3-oxopropoxy)- (9CI) (CA INDEX NAME)

IC ICM A61K0009-16

CC 63-6 (Pharmaceuticals)

IT 56-81-5D, Glycerol, fatty acid esters 57-55-6D, Propylene glycol, glycerides 7384-98-7, Propylene glycol dicaprylate 9002-89-5 9002-96-4, α-Tocopheryl polyethylene glycol succinate 9003-39-8, Polyvinylpyrrolidone 9004-38-0, Cellulose acetate phthalate 9004-65-3, Hydroxypropyl methyl cellulose 9005-64-5 9005-65-6 9050-31-1, Hydroxypropyl methyl cellulose phthalate 12441-09-7D, Sorbitan, polyglyceryl esters 27194-74-7, Propylene glycolmonolaurate 37205-99-5, Carboxymethylethyl cellulose 52907-01-4, Cellulose acetate trimellitate 57107-95-6 70535-77-2, Hydroxypropyl methyl cellulose acetate succinate 119574-41-3 333305-83-2

(pharmaceutical compns. of adsorbates of amorphous drugs and lipophilic microphase-forming materials)

RETABLE

KEIADID				
Referenced Author	Year	VOL PG	Referenced Work	Referenced
(RAU)	(RPY)	(RVL) (RPG)	(RWK)	File
	=+====+	·====+====	:=+========	+=======
Anon	1 1		WO 0110410 A1	
Anon			WO 0147495 A1	HCAPLUS
Anon	1 1		WO 0168055 A1	HCAPLUS
Anon			WO 0211710 A2	HCAPLUS
Anon	1 1		WO 03000238 A1	HCAPLUS
Anon	1 1		WO 03063833 A1	HCAPLUS
Anon	1 1		US 20010053791 A1	HCAPLUS
OS.CITING REF COUNT:	3	THERE ARE	3 CAPLUS RECORDS THAT	CITE THIS
		RECORD (3	CITINGS)	

L50 ANSWER 8 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2004:963227 HCAPLUS Full-text

DOCUMENT NUMBER: 141:411779

TITLE: Inorganic powder-containing acrylic resin

composition for calcination

INVENTOR(S): Maki, Keiji

PATENT ASSIGNEE(S): Nippon Shokubai Co., Ltd., Japan SOURCE: Jpn. Kokai Tokkyo Koho, 17 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
JP 2004315720	A	20041111	JP 2003-113827	20030418	
JP 4185394 PRIORITY APPLN. INFO.:	В2	20081126	JP 2003-113827	20030418	

GΙ

Title resin composition with super pyrolytic property is composed of acrylic resin (I) prepared from polymerization of (II), wherein R1 = H, C1-6 organic groups, R2 = H, C1-10 organic groups, R3 = C1-10 organic groups, A = C1-8 organic groups, R3 = C1-10 organic

IT 791073-02-4P 791073-03-5P

(inorg. powder-containing acrylic resin composition for calcination)

RN 791073-02-4 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with \$\alpha\$-methyl-\$\omega\$-[[2-(methoxycarbonyl)-2-propenyl]oxy]poly(oxy-1,2-ethanediyl), graft (9CI) (CA INDEX NAME)

CM 1

CRN 318234-49-0

CMF (C2 H4 O)n C6 H10 O3

CCI PMS

CM 2

CRN 80-62-6 CMF C5 H8 O2

RN 791073-03-5 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -methyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 318234-49-0

CMF (C2 H4 O)n C6 H10 O3

CCI PMS

IC ICM C08L0033-14

ICS C08F0020-26; C08F0299-02; C08K0003-00; C08K0005-00;
G02F0001-1343; H05K0003-12

CC 37-6 (Plastics Manufacture and Processing)

ST silver powder polyoxyalkylene acrylic resin compn ethanol calcination

IT Polyoxyalkylenes, preparation

(acrylic; inorg. powder-containing acrylic resin composition for calcination)

IT 112419-44-0P 791073-02-4P 791073-03-5P

(inorg. powder-containing acrylic resin composition for calcination)

L50 ANSWER 9 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2003:734646 HCAPLUS Full-text

DOCUMENT NUMBER: 139:247031

TITLE: Ink jet compositions for ink jet printing

INVENTOR(S):
Vanmaele, Luc; Loccufier, Johan

PATENT ASSIGNEE(S): Agfa-Gevaert, Belg.
SOURCE: Eur. Pat. Appl., 30 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PAI	ENT :	NO.			KINI	D	DATE			APP	LICA	ITA	ON 1	10.		D	ATE	
EP	1344	805			A1	_	2003	0917	-	EP	2003	3-1	0033	38		2	0030	214
												<-	_					
EP	1344	805			В1		2005	1221										
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR	., II	Γ,	LI,	LU,	NL,	SE,	MC,	
		PT,	ΙE,	SI,	LT,	LV,	FΙ,	RO,	MK,	СҮ	, AI	L,	TR,	BG,	CZ,	EE,	HU,	SK
US	2005	0277	708		A1		2005	1215	1	US	2003	3-3	6832	24		2	0030	218
												<-	_					
JP	2004	02719	90		Α		2004	0129		JΡ	2003	3-6	7792	L		2	0030	313
												<-	_					
PRIORITY	APP	LN.	INFO	. :						EP	2002	2-1	0026	51	i	A 2	0020	315

/__

38

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT Radiation-curable ink compns. contain radiation-curable monomers R1XCOC(:CH2)CR2R3Y, where R1 = H, a substituted or unsubstituted group selected from alkyl, alkenyl, alkynyl, aryl, aralkyl, cycloalkyl, heterocyclic group; X = O, S, NR4; Y = halogen, a nitrile, OH, thiol, amino, a quaternary ammonium group, a quaternary phosphonium group, a O:CR5 group, a substituted or unsubstituted heterocyclic group, a functional group attached to CR2R3 through a heteroatom in any oxidation state; R2 and R3 = H, R1 and including a substituted or unsubstituted ether group, a substituted or unsubstituted thio ether group, a substituted or unsubstituted amine group, a substituted or unsubstituted acyl group, a substituted or unsubstituted sulfonyl group, a substituted or unsubstituted phosphonyl, a substituted or unsubstituted acyloxy group, or R2 and R3 form a ring or one of the substituents R2 or R3 forms a ring system with Y; R4 = H, R1 or R1 and R4 form a ring; R5 = H, OH, R1, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted thioalkoxy group, a substituted or unsubstituted amino group, or O A+, where A+ represents any organic or inorg. counterion. Thus, 76.8 g (0.6 mol) tert-Bu acrylate was dissolved in 60 mL THF, 71.3 mL 35% HCOH solution and 50 mL H2O were stirred for 10 days at room temperature in the presence of 13.5 g (0.12 mol) DABCO to give hydroxymethylated tert-Bu acrylate.

600164-64-5P 600164-69-0P ΙT

(ink jet printing of radiation-cured inks of)

RN 600164-64-5 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(ethoxycarbonyl)-2-propenyl]- ω -methoxy-, polymer with Craynor CN 501 and Ebecryl P 115 (9CI) (CA INDEX NAME)

CM 1

CRN 265309-33-9 CMF Unspecified CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

СМ 2.

CRN 204327-57-1

CMF (C2 H4 O)n C7 H12 O3

CCI PMS

$$\texttt{EtO} = \begin{pmatrix} \texttt{C} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D$$

CM 3

CRN 167748-98-3

CMF Unspecified

CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

600164-69-0 HCAPLUS RN

CN 2-Propenoic acid, oxybis(methyl-2,1-ethanediyl) ester, polymer with Craynor CN 501 and $\alpha\text{--}[2\text{--}(\text{ethoxycarbonyl})\text{--}2\text{--}propenyl}]\text{--}\omega\text{--}$ methoxypoly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)

CM 1

CRN 265309-33-9 CMF Unspecified

CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2

CRN 204327-57-1

CMF (C2 H4 O)n C7 H12 O3

CCI PMS

$$\texttt{EtO} = \begin{pmatrix} \texttt{C} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D$$

CM 3

CRN 57472-68-1 CMF C12 H18 O5

CCI IDS

2 (D1—Me)

IT 204327-57-1P

(reactive diluent; reactive diluent for ink jet compns.)

RN 204327-57-1 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(ethoxycarbonyl)-2-propenyl]- ω -methoxy- (9CI) (CA INDEX NAME)

$$\texttt{EtO} = \begin{pmatrix} \texttt{C} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{C} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D} & \texttt{CH2} \end{pmatrix} = \begin{pmatrix} \texttt{CH2} & \texttt{CH2} \\ \texttt{D$$

- IC C09D0011-10; C09D0011-00
- CC 42-12 (Coatings, Inks, and Related Products)
- ST radiation curable diluent hydroxymethylated alkyl acrylate ink jet printing
- IT Inks

(radiation-curable; reactive diluent for ink jet compns.)

600164-62-3P **600164-64-5P** ΙT 600164-60-1P 600164-61-2P 600164-66-7P 600164-67-8P 600164-68-9P **600164-69-0P**

(ink jet printing of radiation-cured inks of)

ΙT 111-92-2, Dibutylamine 122-52-1, Triethyl phosphite 9004-74-4, Monomethoxy polyethylene glycol

> (reaction with Et bromomethacrylate; reactive diluent for ink jet compns.)

10029-04-6P 61203-64-3P 121065-74-5P 204327-57-1P ΤT 600164-59-8P

(reactive diluent; reactive diluent for ink jet compns.)

RETABLE

Referenced Author (RAU)	(RPY) (RVL) (RPG	Referenced Work 	Referenced File
Canon Kk Johnson, S Seiko Epson Corp		EP 0953613 A WO 9929787 A EP 1036831 A	HCAPLUS HCAPLUS HCAPLUS
Vanmaele, L OS.CITING REF COUNT:	2001 7 THERE ARE RECORD (7	US 6300388 B1 7 CAPLUS RECORDS THAT CITINGS)	HCAPLUS CITE THIS

L50 ANSWER 10 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2003:202933 HCAPLUS Full-text

DOCUMENT NUMBER: 138:226803

Polymers containing acrylamide derivative monomer TITLE:

for ocular lenses

INVENTOR(S): Nakamura, Masataka; Fujisawa, Kazuhiko; Shimoyama,

Naoki; Yokota, Mitsuru

PATENT ASSIGNEE(S): Toray Industries, Inc., Japan

SOURCE: PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

P	PATENT NO.				KIND DATE		APPLICATION NO.					DATE					
W	10	2003	0213	37		A1	_	2003		WO	2001-	 -JP73	90			20010	828
			•		•	•	DE,	, DK,	ES,	FI, F	R, GB,	GR,	IE,	IT,	LU	J, MC,	
A	U	20012	2802	13		A1		2003	0318	AU	2001-	-2802	13			20010	828
											<	(
A	U	20012	2802	13		В2		2007	0426								
E	ΞP	1445	641			A1		2004	0811	EP	2001-	-9585	80			20010	828
											<	(
E	ŀΡ	1445	641			В1		2007	1003								
		R:						ES,	FR,	GB, G	R, IT,	LI,	LU,	NL,	SE	C, MC,	
			PT,	ΙE,	ĿΤ,	CY,	TR										
U	JS	20040	0201	820		A1		2004	1014	US	2004-	-4880	89			20040	225
											<	(
U	JS	7329	694			В2		2008	0212								
PRIORI	TY	APP	LN.	INFO	.:					WO	2001-	-JP73	90	I	N	20010	828
											_						

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

This invention relates to an ocular lens which has a high tensile elongation (i.e., is less apt to break). The ocular lens is characterized by containing units derived from a monomer represented by the following general formula

CH2:CR1CONH(L10)kL2OR2, where R1 represents hydrogen or methyl; R2 represents a group selected among C1-8 alkyl, C7-12 aralkyl, and C6-10 aryl; k is an integer of 0 to 2; L1 represents a substituent selected among ethylene, 1,2-propylene, 1,3-propylene, and 1,4-butylene; and L2 represents a substituent selected among methylene, ethylene, 1,2-propylene, 1,3-propylene, and 1,4-butylene. Siloxanyl monomers are also contained. A mixture of N,N-dimethylacrylamide, N-(2-methoxyethyl)acrylamide (preparation given), polyethylene glycol dimethacrylate, MeOCOC(:CH2)CH2OCH2CH2O(CH2)3Si(OSiMe3)3 (preparation given), diethylene glycol di-Me ether, and Darocur 1173 was irradiated with light in a mold. The resulting contact lens had tensile elongation 480 %.

IT 501015-10-7P 501015-11-8P 501015-12-9P

(preparation of polymers containing acrylamide derivative and siloxanyl monomers $\ensuremath{\mathsf{S}}$

for ocular lenses)

RN 501015-10-7 HCAPLUS

CN 2-Propenoic acid, $2-[[2-[3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]ethoxy]methyl]-, methyl ester, polymer with N,N-dimethyl-2-propenamide, N-(2-methoxyethyl)-2-propenamide, <math display="block">\alpha-(2-methyl-1-oxo-2-propen-1-yl)-\omega-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl) and 1,1'-oxybis[2-methoxyethane] (CA INDEX NAME)$

CM 1

CRN 345636-02-4 CMF C19 H44 O7 Si4

CM 2

CRN 81666-02-6 CMF C6 H11 N O2

CM 3

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS

CM 4

CRN 2680-03-7 CMF C5 H9 N O

CM 5

CRN 111-96-6 CMF C6 H14 O3

MeO-CH2-CH2-O-CH2-CH2-OMe

RN 501015-11-8 HCAPLUS

CN 2-Propenoic acid, $2-[[2-[3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]ethoxy]methyl]-, methyl ester, polymer with N,N-dimethyl-2-propenamide, N-(3-methoxypropyl)-2-propenamide, <math>\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl) and 1,1'-oxybis[2-methoxyethane] (CA INDEX NAME)

CM 1

CRN 345636-02-4 CMF C19 H44 O7 Si4

CM 2

CRN 107374-86-7 CMF C7 H13 N O2

CM 3

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS

CM 4

CRN 2680-03-7 CMF C5 H9 N O

CM 5

CRN 111-96-6 CMF C6 H14 O3

MeO-CH2-CH2-O-CH2-CH2-OMe

RN 501015-12-9 HCAPLUS

CN 2-Propenoic acid, $2-[[2-[3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]ethoxy]methyl]-, methyl ester, polymer with N-(methoxymethyl)-2-propenamide, <math display="block">\alpha-(2-\text{methyl}-1-\text{oxo}-2-\text{propen}-1-yl)-\omega-[(2-\text{methyl}-1-\text{oxo}-2-\text{propen}-1-yl)oxy]poly(oxy-1,2-ethanediyl) and 1,1'-oxybis[2-methoxyethane] (CA INDEX NAME)$

CM 1

CRN 345636-02-4 CMF C19 H44 O7 Si4

CM 2

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS

$$\begin{array}{c|c} \text{H2C} & \text{O} & \text{CH2} \\ \text{Me} & \text{C} & \text{C} & \text{C} & \text{CH2} \\ \end{array} \\ \text{O-CH2-CH2-CH2-n}$$

CM 3

CRN 3644-11-9 CMF C5 H9 N O2

CM 4

CRN 111-96-6 CMF C6 H14 O3

MeO-CH2-CH2-O-CH2-CH2-OMe

IC ICM G02C0007-04

ICS C08F0020-58; A61F0002-16

CC 63-7 (Pharmaceuticals)

Section cross-reference(s): 38

IT 501015-10-7P 501015-11-8P 501015-12-9P

501015-13-0P 501015-14-1P

(preparation of polymers containing acrylamide derivative and siloxanyl monomers

for ocular lenses)

TT 75-77-4, Chlorotrimethylsilane, reactions 109-85-3, 2-Methoxyethylamine 111-45-5, Ethylene glycol monoallyl ether 814-68-6, Acryloyl chloride 929-06-6, 2-(2-Aminoethoxy)ethanol 1825-61-2, Methoxytrimethylsilane 5332-73-0, 3-Methoxypropylamine 7789-60-8, Phosphorus tribromide 10025-78-2, Trichlorosilane 10029-04-6 15484-46-5

 $\hbox{ (preparation of polymers containing acrylamide derivative and siloxanyl } \\ \hbox{ monomers}$

for ocular lenses)

RETABLE

	r VOL PG Y) (RVL) (RP		Referenced File
=====+===+===			===+=======
Mitsui Toatsu Chemicals 198		JP 60-190424 A	HCAPLUS
Permeable Technologies 199		JP 06-503103 A	[
Permeable Technologies 199		EP 552306 A1	HCAPLUS
Permeable Technologies 199		AU 9189550 A	HCAPLUS
Permeable Technologies 199	2	WO 9207013 A1	HCAPLUS
Smith & Nephew Research 197	7	IT 1036430 B	
Smith & Nephew Research 197	7	CA 1037196 A	HCAPLUS
Smith & Nephew Research 197	7	DD 123396 A	HCAPLUS
Smith & Nephew Research 197	7	GB 1494641 A	HCAPLUS
Smith & Nephew Research 197	7	FR 2277110 A	HCAPLUS
Smith & Nephew Research 197	7	DE 2529639 A	HCAPLUS
Smith & Nephew Research 197	7	DE 2529639 C	HCAPLUS
Smith & Nephew Research 197	7	US 4036814 A	HCAPLUS
Smith & Nephew Research 197		IL 47636 A	1
Smith & Nephew Research 197		JP 51-30750 A	HCAPLUS
Smith & Nephew Research 197		CH 603708 A	HCAPLUS
Smith & Nephew Research 197		FI 7501961 A	HCAPLUS
Smith & Nephew Research 197		NO 7502351 A	HCAPLUS
Smith & Nephew Research 197		DK 7503006 A	HCAPLUS
Smith & Nephew Research 197		ZA 7504036 A	HCAPLUS
Smith & Nephew Research 197		BR 7504329 A	ì
Smith & Nephew Research 197		CS 7504749 A	ì
Smith & Nephew Research 197		AT 7505036 A	i
Smith & Nephew Research 197		SE 7507693 A	HCAPLUS
Smith & Nephew Research 197		NL 7507914 A	IHCAPLUS
Smith & Nephew Research 197		BE 831047 A	HCAPLUS
Toray Industries Inc 200		JP 2001220394 A	HCAPLUS
Toray Industries Inc 200		JP 2001245910 A	HCAPLUS
Toray Industries Inc 200		JP 2001530 A	1
Toray Industries Ltd 198		CA 1136306 A	HCAPLUS
Toray Industries Ltd 198		CA 1149563 A	1
Toray Industries Ltd 198		GB 2006091 A	HCAPLUS
Toray Industries Ltd 198		FR 2402525 A	HCAPLUS
Toray Industries Ltd 198		DE 2839249 A	HCAPLUS
Toray Industries Ltd 198		US 4347198 A	
Toray Industries Ltd 198		JUS 4699934 A	 HCAPLUS
Toray Industries Ltd 198		JP 63-234001 A	1110111 1100
OS.CITING REF COUNT: 1		E 1 CAPLUS RECORDS TH	AT CITE THIS
SS.SIIINO NEL COUNT. I		1 CITINGS)	ОТТП ТПТО
	TUDCOTED (1 01111100/	

L50 ANSWER 11 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2001:666553 HCAPLUS Full-text DOCUMENT NUMBER: 135:231737

TITLE: Ocular lenses with increased tensile elongation INVENTOR(S): Nakamura, Masataka; Fujisawa, Kazuhiko; Shimoyama,

Naoki; Yokota, Mitsuru

PATENT ASSIGNEE(S): Toray Industries, Inc., Japan SOURCE: Jpn. Kokai Tokkyo Koho, 13 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
 JР 2001245910	7	20010911	JP 2000-58421	20000303
JP 2001245910	A	20010911	JP 2000-38421 <	20000303
JP 4273612	В2	20090603		
PRIORITY APPLN. INFO.:			JP 2000-58421	20000303
			<	

The ocular lenses, especially contact lenses, contain CH2:CR1CONH(L10)kL2OR2 [R1 = H, Me; R2 = C1-8 alkyl, C7-12 aralkyl, C6-10 aryl; k = 0-2; L1 = CH2CH2, 1,2-propylene, (CH2)3, (CH2)4; L2 = CH2, CH2CH2, 1,2-propylene, (CH2)3, (CH2)4] as a polymerizing monomer. Siloxanyl monomers may be contained. A mixture of N,N-dimethylacrylamide, N-(2-methoxyethyl)acrylamide (preparation given), polyethylene glycol dimethacrylate, MeOCOC(:CH2)CH2OCH2CH2O(CH2)3Si(OSiMe3)3 (preparation given), diethylene glycol di-Me ether, and Darocur 1173 was irradiated with light in a mold. The resulting contact lens had tensile elongation 480%.

IT 359630-87-8P 359630-88-9P 359630-89-0P

(ocular lenses with increased tensile elongation from polymers containing N-[alkoxyalkyl)(oxyalkyl)] acrylamides)

RN 359630-87-8 HCAPLUS

CN 2-Propenoic acid, 2-[[2-[3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]ethoxy]methyl]-, methyl ester, polymer with N,N-dimethyl-2-propenamide, N-(2-methoxyethyl)-2-propenamide and $\alpha-(2-methyl-1-oxo-2-propen-1-yl)-\omega-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl) (CA INDEX NAME)$

CM 1

CRN 345636-02-4 CMF C19 H44 O7 Si4

CM 2

CRN 81666-02-6 CMF C6 H11 N O2

CM 3

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS

$$\begin{array}{c|c} ^{\rm H2C} \bigcirc \bigcirc \\ {\rm Me} - {\rm C} + {\rm 2} - {\rm C} + {\rm 2} - {\rm C} + {\rm 2} - {\rm C} - {\rm Me} \\ \end{array}$$

CM 4

CRN 2680-03-7 CMF C5 H9 N O

RN 359630-88-9 HCAPLUS

CN 2-Propenoic acid, 2-[[2-[3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]ethoxy]methyl]-, methyl ester, polymer with N,N-dimethyl-2-propenamide, N-(3-methoxypropyl)-2-propenamide and $\alpha - (2-\text{methyl-1-oxo-2-propen-1-yl}) - \omega - [(2-\text{methyl-1-oxo-2-propen-1-yl}) - \omega - [(2-\text{methyl-1-oxo-1-oxo-1-yl}) - \omega - [(2-\text{methyl-1-oxo-1-oxo-1-yl}) - \omega - [(2-\text{methyl-1-oxo-1-oxo-1-yl}) - \omega - [(2-\text{methyl-1-oxo-1-o$

CM 1

CRN 345636-02-4 CMF C19 H44 O7 Si4

CM 2

CRN 107374-86-7 CMF C7 H13 N O2

CM 3

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS

CM 4

CRN 2680-03-7 CMF C5 H9 N O

RN 359630-89-0 HCAPLUS CN 2-Propenoic acid, $2-[[2-[3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]ethoxy]methyl]-, methyl ester, polymer with N-(methoxymethyl)-2-propenamide and $\alpha-(2-methyl-1-oxo-2-propen-1-yl)-\omega-[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl) (CA INDEX NAME)$

CM 1

CRN 345636-02-4 CMF C19 H44 O7 Si4

CM 2

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS

$$\begin{array}{c|c} \text{H2C} & \text{O} & \\ \text{Me} & \text{C} & \text{C} & \text{C} & \text{CH2} \\ \end{array} \\ \text{O-CH2-CH2-Dn} \\ \text{O-CH2-CH2-Dn} \\ \end{array}$$

CM 3

CRN 3644-11-9

CMF C5 H9 N O2

MeO-CH2-NH-C-CH-CH2

IC ICM A61F0002-16

ICS A61L0027-00; G02B0001-04; G02C0007-04; C08J0005-00; C08L0033-26

CC 63-7 (Pharmaceuticals)

Section cross-reference(s): 38

IT 359630-87-8P 359630-88-9P 359630-89-0P

359630-90-3P 359630-91-4P

(ocular lenses with increased tensile elongation from polymers containing N-[alkoxyalkyl(oxyalkyl)]acrylamides)

IT 109-85-3, 2-Methoxyethylamine 111-45-5, Ethylene glycol monoallyl ether 814-68-6, Acryloyl chloride 929-06-6, 2-(2-Aminoethoxy)ethanol 1825-61-2, Methoxytrimethylsilane 5332-73-0, 3-Methoxypropylamine 10029-04-6 15484-46-5

(ocular lenses with increased tensile elongation from polymers

containing N-[alkoxyalkyl(oxyalkyl)]acrylamides)

OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

L50 ANSWER 12 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2001:56894 HCAPLUS Full-text

DOCUMENT NUMBER: 134:86986

TITLE: Water-soluble vinyl alcohol polymers with

polyoxyalkylene side chains

INVENTOR(S): Somemiya, Toshitaka; Fujiwara, Naoki

PATENT ASSIGNEE(S): Kuraray Co., Ltd., Japan SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
		20010102	TD 1000 105100	10000700
JP 2001019720	Α	20010123	JP 1999-195180	19990709
JP 4128310	B2	20080730		
PRIORITY APPLN. INFO.:			JP 1999-195180	19990709

AB The polymers, useful for films, coatings, and adhesives, have 0.01-15 mol% CH2C(CO2X)[(OR1)nOR2] units [R1= C2-4 (un)substituted alkylene; R2 = H, organic group; X = H, alkali metal; n = 1-100]. Thus, 2000 g vinyl acetate and 500 g Me 2-[(ω -

hydroxypolyalkyleneglycoxy)methyl]acrylate were polymerized and saponified with NaOH to give a polymer with saponification degree 98.5% and good solubility in H2O at 20° .

IT 318234-50-3DP, saponified 318234-52-5DP, saponified 318234-54-7DP, saponified 318245-85-1DP, saponified (polyoxyalkylene-grafted poly(vinyl alcs.) with good water solubility)

RN 318234-50-3 HCAPLUS

CN Acetic acid ethenyl ester, polymer with α -methyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]poly(oxy-


1,2-ethanediyl), graft (9CI) (CA INDEX NAME)

CM 1

CRN 318234-49-0

CMF (C2 H4 O)n C6 H10 O3

CCI PMS



CM 2

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH₂

RN 318234-52-5 HCAPLUS


CN Acetic acid ethenyl ester, polymer with $\alpha\text{-[2-(methoxycarbonyl)-2-propenyl]-}\omega\text{-hydroxypoly(oxy-1,4-butanediyl), graft (9CI) (CA INDEX NAME)}$

CM 1

CRN 318234-51-4

CMF (C4 H8 O)n C5 H8 O3

CCI PMS



CM 2

CRN 108-05-4 CMF C4 H6 O2

Aco-CH-CH2

RN 318234-54-7 HCAPLUS

CN Acetic acid ethenyl ester, polymer with α -butyl- ω -[[2-(methoxycarbonyl)-2-propenyl]oxy]poly(oxy-1,2-ethanediyl), graft (9CI) (CA INDEX NAME)

CM 1

CRN 318234-53-6

CMF (C2 H4 O)n C9 H16 O3

CCI PMS

CM 2

CRN 108-05-4 CMF C4 H6 O2

Aco-CH-CH2

318245-85-1 HCAPLUS RN


Acetic acid ethenyl ester, polymer with CN α -methyl- ω -(3-methoxy-2-methylene-3oxopropoxy)poly[oxy(methyl-1,2-ethanediyl)], graft (9CI) (CA INDEX NAME)

CM 1

CRN 318245-84-0

CMF (C3 H6 O)n C6 H10 O3

CCI IDS, PMS



CM 2

CRN 108-05-4 CMF C4 H6 O2

Aco-CH-CH2

ICM C08F0218-04 IC ICS C08F0008-12; C08F0290-12; C08F0218-04; C08F0220-06 CC 37-3 (Plastics Manufacture and Processing)

polyoxyalkylene graft polyvinyl alc water soly;

polyoxyethylene hydroxymethylacrylate ether vinyl acetate copolymer

IT Polyoxyalkylenes, preparation

(polyvinyl alc., graft; polyoxyalkylene-grafted
poly(vinyl alcs.) with good water solubility)

IT Polymers, preparation

(water-soluble; polyoxyalkylene-grafted poly(vinyl alcs.)
with good water solubility)

172017-08-2DP, Ethylene oxide-vinyl acetate graft copolymer butyl ether, saponified 172017-09-3DP, Ethylene oxide-vinyl acetate graft copolymer methyl ether, saponified 318234-50-3DP, saponified 318234-52-5DP, saponified 318234-54-7DP, saponified 318234-89-8DP, Ethylene oxide-propylene oxide block copolymer monoether with methyl (2-hydroxymethyl)acrylate, polymer with vinyl acetate, graft, saponified 318234-91-2DP, Ethylene oxide-propylene oxide copolymer monoether with methyl (2-hydroxymethyl)acrylate, polymer with vinyl acetate, graft, saponified 318234-93-4DP, Ethylene oxide-propylene oxide block copolymer monomethyl ether, ether with (2-hydroxymethyl)acrylate, polymer with vinyl acetate, graft, saponified 318234-94-5DP, Propylene oxide-vinyl acetate graft copolymer methyl ether, saponified 318245-85-1DP, saponified

(polyoxyalkylene-grafted poly(vinyl alcs.) with good
water solubility)

OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

L50 ANSWER 13 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 1998:555739 HCAPLUS Full-text

DOCUMENT NUMBER: 129:217409

ORIGINAL REFERENCE NO.: 129:44191a,44194a

TITLE: Odorless hardenable polymer compositions

containing acrylate monomers

INVENTOR(S): Yamazaki, Isahide; Nakakawa, Koichi; Maki, Keishi PATENT ASSIGNEE(S): Nippon Shokubai Kagaku Kogyo Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 17 pp. CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10226716	А	19980825	JP 1997-30966	19970214
			<	
PRIORITY APPLN. INFO.:			JP 1997-30966	19970214
			/	

Title compns. comprise hardenable polymers and polymerizable unsatd. monomers CH2:C(CO2R1)(CHR2OCHR3OR4) [R1, R4 = C1-18 alkyl, C3-8 cycloalkyl, C6-18 aryl, (CHR5CH2O)mR6; R2-R3 = H, C1-6 alkyl, C3-8 cycloalkyl, C6-18 aryl; R5 = H, Me; R6 = H, C1-6 alkyl, C3-8 cycloalkyl, C6-18 aryl; m = 1-4]. Thus, isophthalic acid 415, propylene <code>giycol</code> 600, and maleic anhydride 245 parts were treated to obtain an unsatd. polyester, which was mixed with 1026 parts Et α -ethoxymethoxymethylacrylate and 0.20 part hydroquinone to obtain an odorless composition giving a molding with high mech. strength and a coating with good adhesion to ABS, PVC, and PC.

IT 212191-70-3P

(odorless hardenable polymer compns. containing acrylate monomers for moldings with good mech. strength)

RN 212191-70-3 HCAPLUS

CN 2-Propenoic acid, 2-[(ethoxymethoxy)methyl]-, ethyl ester, polymer

with 2,4-diisocyanato-1-methylbenzene, 2-hydroxypropyl 2-methyl-2-propenoate and α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -hydroxypoly[oxy(methyl-1,2-ethanediyl)]] (9CI) (CA INDEX NAME)

CM 1

CRN 188945-86-0 CMF C9 H16 O4

$$\begin{array}{c} \circ \quad \text{CH2} \\ \text{Eto} \quad \text{C} \quad \text{C} \quad \text{CH2} \\ - \circ \quad \text{C} \quad \text{CH2} \quad \text{O} \quad \text{CH2} \quad \text{OEt} \end{array}$$

CM 2

CRN 37353-75-6 CMF (C3 H6 O)n (C3 H6 O)n C15 H16 O2 CCI IDS, PMS

HO
$$(C3H6) - O$$
 Me Me Me Me

CM 3

CRN 923-26-2 CMF C7 H12 O3

CM 4

CRN 584-84-9 CMF C9 H6 N2 O2

ICS C07C0069-734; C07C0069-736; C08F0291-00; C08F0220-26

CC 37-6 (Plastics Manufacture and Processing)

Section cross-reference(s): 38

IT 212191-69-0P **212191-70-3P** 212271-20-0P 212271-23-3P

212271-24-4P

(odorless hardenable polymer compns. containing acrylate monomers for moldings with good mech. strength)

L50 ANSWER 14 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 1997:618705 HCAPLUS Full-text

DOCUMENT NUMBER: 127:293762 ORIGINAL REFERENCE NO.: 127:57431a

TITLE: Purification of acrylate ester derivatives by

removal of crosslinkable impurities

INVENTOR(S): Nagano, Hideaki; Makino, Komei; Nakagawa, Koichi;

Kita, Yuichi

PATENT ASSIGNEE(S): Nippon Shokubai Kagaku Kogyo Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 09241215	А	19970916	JP 1996-46496	19960304
			<	
PRIORITY APPLN. INFO.:			JP 1996-46496	19960304

AB The derivs. H2C:C(CO2R3)CHR10[CH2(CHR2)n0]mH (R1, R2 = H, organic residues; R3 = organic residues; m = 1-100; n = 1-3) are purified by washing with organic solvents having higher solubility to title impurities than to the derivs. Thus, reacting 130 g ethyl- α -hydroxymethyl acrylate with 462 g oxirane at 35-45° in PhMe in the presence of BF30Et2 gave a crude acrylate ester (OH value 96.9 mg-KOH/g), which was washed with cyclohexane to give a pale-yellow liquid, which underwent polymerization in the presence of AIBN without gelation.

IT 183892-60-6P 184014-31-1P

(purification of acrylate ester derivs. by solvent extraction)

RN 183892-60-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -[2-(ethoxycarbonyl)-2-propenyl]- ω -hydroxy- (9CI) (CA INDEX NAME)

$$\mathtt{Eto} = \overset{\mathtt{O}}{\mathtt{C}} = \overset{\mathtt{CH2}}{\mathtt{C}} = \overset{\mathtt{CH2}}{\mathtt{CH2}} = \overset{\mathtt{CH2}}{\mathtt{CH2}} = \overset{\mathtt{CH2}}{\mathtt{D}} = \overset{\mathtt{O}}{\mathtt{D}} = \overset{\mathtt{CH2}}{\mathtt{D}} = \overset$$

RN 184014-31-1 HCAPLUS

CN Poly[oxy(methyl-1,2-ethanediyl)],

 $\alpha\text{--}[2\text{--}(\text{ethoxycarbonyl})\text{--}2\text{--propenyl}]\text{--}\omega\text{--hydroxy--} \text{ (9CI)} \quad \text{(CA INDEX NAME)}$

$$\texttt{EtO} = \overset{\texttt{O}}{\overset{\texttt{CH2}}{\overset{\texttt{CH2}}{\overset{\texttt{CH2}}{\overset{\texttt{CH2}}{\overset{\texttt{CH2}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}}{\overset{\texttt{CH3}}}{\overset{CH3}}}}}}}}}}}}}}}}}}}}}}}}$$

IC ICM C07C0069-54 ICS C07C0067-58

CC 35-2 (Chemistry of Synthetic High Polymers)

ST acrylate ester purifn solvent extn; crosslinkable impurity removal solvent extn acrylate; ethoxylated ethylhydroxymethyl acrylate purifn gelation prevention

IT Polyoxyalkylenes, preparation

(acrylate-terminated; purification of acrylate ester derivs. by solvent extraction)

IT 183892-60-6P 184014-31-1P

(purification of acrylate ester derivs. by solvent extraction)

L50 ANSWER 15 OF 15 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 1997:618604 HCAPLUS Full-text

DOCUMENT NUMBER: 127:322093

ORIGINAL REFERENCE NO.: 127:63071a,63074a

TITLE: Polyoxyalkylene cement dispersing agent

for high concrete strength and cement composition

containing it

INVENTOR(S): Nagano, Hideaki; Maita, Takeshi; Nagare, Koichiro PATENT ASSIGNEE(S): Nippon Shokubai Kagaku Kogyo Co., Ltd., Japan;

Nippon Shokubai Co., Ltd.

SOURCE: Jpn. Kokai Tokkyo Koho, 16 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 09241059	A	19970916	JP 1996-46499	19960304
			<	
JP 3689822	В2	20050831		
PRIORITY APPLN. INFO.:			JP 1996-46499	19960304

AB The cement dispersing agent contains a polymer prepared by polymerization of a monomer composition containing the oxyacrylic acid or its ester monomer CH2:CCH20[CH2(CR1H)n0]mR2CO2R3 (R1, R2 = H, organic residue; R3 = H, counter ion, organic residue; n = 1-3; m = 1-100) or its neutralized product. The cement dispersing agent, added to cement paste, mortar, or concrete in small amount, gives water reducing effect, small slump loss, and strength to the cement composition

IT 197649-79-9P

(polyoxyalkylene cement dispersing agent for high concrete strength)

RN 197649-79-9 HCAPLUS

CN 2-Propenoic acid, polymer with

 α -[2-(ethoxycarbonyl)-2-propenyl]- ω -hydroxypoly(oxy-1,2-ethanediyl), graft, sodium salt (9CI) (CA INDEX NAME)

CM 1

CRN 197649-78-8

CMF (C3 H4 O2 . (C2 H4 O)n C6 H10 O3)x


CCI PMS

CM 2

CRN 183892-60-6


CMF (C2 H4 O)n C6 H10 O3

CCI PMS



CM 3

CRN 79-10-7 CMF C3 H4 O2



IC ICM C04B0024-26

ICS C04B0028-02; C08F0290-06; C08F0299-02; C04B0103-40

- CC 58-1 (Cement, Concrete, and Related Building Materials)
- ST mortar polyoxyalkylene cement dispersing agent; concrete polyoxyalkylene cement dispersing agent
- IT Polyoxyalkylenes, preparation

(acrylic; polyoxyalkylene cement dispersing agent for high concrete strength)

IT Cement (construction material)

Concrete

Dispersing agents

Mortar

(polyoxyalkylene cement dispersing agent for high
concrete strength)

IT 167763-00-0P 197649-77-7P 197649-79-9P

(polyoxyalkylene cement dispersing agent for high concrete strength)